

BLACK LAKE (BLACK POND) T15 R9, Aroostook Co. U.S.G.S. Deboullie Pond, Maine (7 1/2')

Fishes

Brook trout Blueback charr Yellow perch Minnows Lake chub Common shiner Blacknose dace

Physical Characteristics

Area - 147 acres Average depth - 35 feet Maximum depth - 90 feet Temperatures: Surface - 63⁰F 85 feet - 43⁰F

Principal fisheries: Brook trout, blueback charr

Black Lake maintains ideal water quality for coldwater sportfish. The deep waters are cool with ample amounts of dissolved oxygen throughout the warm summer months.

Brook trout are the primary sport fish in Black Lake. Spawning occurs along the shoreline and, to a lesser extent, within the outlet stream. Yellow perch compete with the brook trout for the available food supply.

Black Lake supports a self-sustaining population of the rare bleuback charr typically found in deep coldwater lakes. Spawning takes place over shoals within the lake.

Conservative fishing regulations have been implemented to maintain and enhance the sport fishery.

Black Lake is one of many ponds situated in close proximity in T15 R9, a township owned by the State of Maine. Access to the lake is via a one mile hike over an unimproved road from Deboullie Lake. Two-wheel drive access to Deboullie Lake is available over improved gravel roads, however, it is necessary to ford the Red River.

Surveyed - August 1954 (Revised - 1990, 2001) Maine Department of Inland Fisheries and Wildlife Funded in part by Federal Aid in Fish Restoration Act under Federal Project F-28-P

L1506G