ROUND POND T14R8, Aroostook Co. U.S.G.S. Winterville, Me.

Fishes

Salmon
Brook trout (squaretail)
Yellow perch
Hornpout (bullhead)
White sucker
Minnows
Fallfish (chub)

Minnows (cont.)
Blacknose dace
Blacknose shiner
Common shiner
Redbelly dace
Lake chub
Threespine stickleback
Freshwater sculpin

Physical Characteristics

Area - 90 acres

Creek chub

Temperatures Surface — 70° F. 30 feet — 64° F.


Maximum depth - 30 feet

Principal fishery: Salmon, Brook trout

Round Pond, which is located on Fish River below Fish Lake, provides marginal cold water game fish habitat. The pond is surrounded by softwood forest and the shoreline is largely undeveloped. The pond is shallow and warm except for a narrow channel through which the river flows. The remainder of the pond supports large numbers of warm water fish which compete with salmon and trout. In spite of its limitations, a seasonal salmon and brook trout fishery exists at Round Pond during the spring.

Fish River, between Fish Lake and Round Pond, has good spawning and nursery areas, and is probably used by fish from both bodies f water. A major logging road crosses Fish River between Round ond and Upper Fish River Falls.

urveyed — August, 1962
Revised — 1976)
Iaine Department of Inland Fisheries and Wildlife
ublished under Appropriation No. 4550
Contribution from Dingell-Johnson Federal Aid Project F-28-P,
aine



T14 R8, AROOSTOOK CO., MAINE

