CHICKAWAUKIE POND

Rockland and Rockport Twp., Knox Co. U.S.G.S. Camden, Me. (7.5')

Fishes

Brown trout Brook trout Golden shiner White sucker

Rainbow smelt Smallmouth bass Hornpout (bullhead) Banded killifish

White perch

Pumpkinseed sunfish

Yellow perch Chain pickerel American eel

Minnows

Sea-run alewife

Minnows

Physical Characteristics

Area - 352 acres

Temperatures:

Surface - 69°F

Maximum depth - 33 feet

30 feet - 68°F

Principal fisheries: Brown trout, brook trout, smallmouth bass, white perch, chain pickerel

Chickawaukie Pond, located just north of Rockland, s one of the more popular waters of the mid-coast region. Unfortunately, the pond's water quality has deteriorated in recent years, primarily as a result of continuing agricultural and increasing residential development in the watershed. Despite this, Chickawaukie Pond continues to naintain a sport fishery for brown trout. A legal-size brook rout stocking program recently began due to the mprovements of the Department's hatchery system hereby increasing the numbers of fish now available. To

improve forage for the brown trout and to provide additional fishing opportunities smelt eggs were transferred into Chickawaukie, but these transfers have failed to provide a significant smelt population.

A town owned boat-launching facility along with a day-use park is located off State Route 17 on the south shore of Chickawaukie Pond.

Surveyed – August, 1941 (Revised – 1963, 1989, 2006) Maine Department of Inland Fisheries and Wildlife Funded in part by the Federal Aid in Restoration Act under Federal Project F-28-P

L4822B

