SATURDAY POND

Otisfield Twp., Oxford U.S.G.S. Casco, ME (7.5')

Fishes

Common			
White suc			
Hornpout			
Pumpkinse			
American			

White sucker Hornpout (bullhead) Pumpkinseed sunfish American eel

shiner

Physical Characteristics

Area - 1	179 ac	acres			Temperatures:				
					Sui	face	-	72 [°] F	
Maximum	depth	-	25	feet	24	feet	-	69 [°] F	


Principal fisheries: largemouth bass, chain pickerel

Saturday Pond is homothermous despite its large size and moderate depths, which limits options for coldwater fisheries management. Legal-size brook trout stocking was tried for about 10 years beginning in the early 1960's, but was discontinued due to poor returns. The MDIFW introduced largemouth bass in 1949, and again in 1958. The bass have established a self-sustaining population, but their size and abundance remains low. Similarly, other warmwater species in the pond exhibit the same characteristics. This sandy bottomed pond lacks the structure and habitat to support good fish populations. In addition, the pond is thought to be relatively sterile with low productivity potential.

There are no public access sites to Saturday Pond, and angler access is restricted to permissive trespass. Purchasing and developing access is a continuing priority of this department.

Surveyed - August 1956 Revised - 1962, 1999 Fisheries and Wildlife Funded in part by the Federal Aid in Restoration Act under Federal Project F-28-P

L3440A



SATURDAY POND

OTISFIELD TWP., CUMBERLAND CO., MAINE

AREA 179 ACRES

5 TENTHS OF MILE