WEIR POND T3 R1 and Lee Twps., Penobscot Co. U. S. G. S. Springfield, Me.

Fishes

Brook trout (squaretail) Yellow perch Chain pickerel Hornpout (bullhead) White sucker Minnows Fallfish Banded killifish Yellowbelly sunfish

Physical Characteristics

Area - 45 acres

Maximum depth — Basin 1 - 25 feet Basin 2 - 24 feet Basin 3 - 22 feet $\begin{array}{c} \text{Temperatures} \\ \text{Basin 1} \\ \text{Surface - 77^{\circ} F.} \\ \text{22 feet - 47^{\circ} F.} \\ \text{Basin 2} \\ \text{Surface - 77^{\circ} F.} \\ \text{22 feet - 45^{\circ} F.} \\ \text{Basin 3} \\ \text{Surface - 77^{\circ} F.} \\ \text{20 feet - 50^{\circ} F.} \\ \end{array}$

Suggested Management

Weir Pond provides satisfactory water quality for brook trout. The pond also has two extensive tributaries, both of which contain good populations of brook trout.

Because of the combination of satisfactory water quality and the good trout populations in the two tributaries, Weir Pond will no-doubt continue to provide trout fishing despite persistent competition from warmwater fishes. It is of great importance, however, to assure that the all-important tributary streams are kept free of beaver dams and other obstructions, since they are the source of the trout fishery.

Surveyed - July, 1953 (Revised, 1957) Maine Department of Inland Fisheries and Game

