LOWER OXBROOK LAKE T6ND, T6R1, Washington Co. U.S.G.S. Oxbrook Lakes, Maine (7%')

Fishes

dace

sunfish

Landlocked salmon	Redbelly dace
Brook trout	Creek chub
Rainbow smelt	Fallfish(chub)
White perch	White sucker
Yellow perch	Hornpout (bullhead)
Minnows	Banded killifish
Golden shiner	Pumpkinseed sunfish
Common shiner	American eel
Blacknose shiner	

Physical Characteristics

Area - 365 acres	Temperatures
	Surface - 62 °F
Maximum depth - 30 feet	30 feet - 62 [°] F

Principal fishery: White perch, landlocked salmon

This moderate-size water is situated north of West Grand Lake. A few camps dot the mostly wooded shoreline. Access is via the "Amazon" road off the Grand Lake Stream road. A small boat/canoe launch is present on the southern shore; motorboats are prohibited.

Both brook trout and salmon have been stocked periodically, but neither species provided an acceptable fishery. Stocked trout fared poorly in the face of severe competition from the well-established populations of perch, hornpout, and suckers. Stocked salmon grew poorly in response to a sparse smelt population. The lake supports a limited fishery for wild salmon which are produced in the outlet. Biologists have captured juvenile salmon during several electrofishing surveys.

White perch are the dominant sportfish. Certain anglers make good catches of fillet-size fish during the open water season. Biologists captured an unusually large 14 ¼ in perch during a summer netting in 1998.

Surveyed - August, 1964 (Revised - 1999)

Maine Department of Inland Fisheries and Wildlife Funded in part by the Federal Aid in Restoration Act under Federal Project F-28-P L 1106 C

