HANSEN POND

Acton and Shapleigh Twp., York Co. U.S.G.S. Great East Lake, Me. (7.5')

Fishes

Largemouth bass Smallmouth bass Yellow perch Chain pickerel Minnows

Fallfish (chub)
White sucker
Hornpout (bullhead)
Pumpkinseed sunfish
Black crappie

Golden shiner

Physical Characteristics

Area - 30 acres

Temperatures:

Surface - 81°F

Maximum depth - 9 feet

7 feet - 78°F

Principal fisheries: Largemouth bass, chain pickerel


Nearby North Shapleigh Pond was stocked with largemouth bass fingerlings in 1960. A short thoroughfare connects Hansen and North Shapleigh ponds, and has enabled largemouth bass to also establish in Hansen Pond.

Black crappie were first confirmed in the drainage in 1970, when an illegally established population was discovered in Balch Lake. Crappies have since established elsewhere in the drainage, including North Shapleigh (confirmed 1978). Because Hansen Pond and North Shapleigh Pond are connected it is probable that crappies are also present in Hansen Pond.

Angler access is restricted to permissive trespass and there is a need to develop public access to this water.

Surveyed – August 1959 (Revised – 1967, and 2003) Maine Department of Inland Fisheries and Wildlife Funded in part by the Federal Aid in Restoration Act under Federal Project F-28-P

L3928A



AREA 30 ACRES

