PHONE: (207) 287-2731

THINKFIRSTSPRAYLAST.ORG



## STATE OF MAINE

## DEPARTMENT OF AGRICULTURE, CONSERVATION AND FORESTRY

BOARD OF PESTICIDES CONTROL 28 STATE HOUSE STATION AUGUSTA, MAINE 04333

JANET T. MILLS **GOVERNOR** 

AMANDA E. BEAL COMMISSIONER

August 8, 2025

New England Spray Technologies Steven Brook 21 Ridley Rd. Shapleigh, ME 04076

RE: Variance permit for CMR 01-026 Chapter 29, New England Spray Technologies

Greetings,

The Board of Pesticides Control considered your application for a variance from Chapter 29 for Rotary Park in Kennebunk. The variance is approved, provided that all products to be used are currently registered in the State of Maine or were registered at the time of purchase and that any application is made above the highwater line.

The Board authorizes the issuance of two-year permits for Chapter 29, therefore this permit is valid until December 31, 2026, as long as applications are consistent with the information provided on the variance request. Please notify the Board in advance of changes, particularly if you plan to use a different product from those listed.

Please bear in mind that your permit is based upon your company adhering to the precautions listed in Section X of your Chapter 29 variance request. The utmost caution should be taken when applying adjacent to open water including curtailing operations if rain is in the forecast during the 24-hour period after the application.

I will alert the Board at its next meeting that the variance permit has been issued. If you have any questions concerning this matter, please feel free to contact me at 287-2731.

Sincerely,

Alexander Peacock

Alexander Pearsk

Director




## BOARD OF PESTICIDES CONTROL APPLICATION FOR VARIANCE PERMIT (Pursuant to Chapter 29, Section 6 of the Board's Regulations)

KENNBUNK CO.	rSERVATION	Com (207)	008-5576
STEUEN RIVER	k	Telephone N	umber
Company Name	<u> </u>		
<b>↑</b>	A Senaso		
NEW BRELAN. Address 21 Ridley Rd.	City	State	Zip
	Oly Oly		2.ip
21 Ridley Rd.	Shapleigh	ME.	0407
aster Applicator (if applicable)		License Number	
SAME AS	Above	CMA-	3484
SAME AS  Address SAME AS	AL City	State	Zip
arget site and/or plants and the vetlands and water bodies, to	pesticides@maine.go		Addity to
Area(s) where pesticide will be	applied:		
IT'S A STONE	A 4	CANT N	e T
IT'S A STONE	ey back	CANT N	o T
PLANT, LE	y bock	ec come	o T back
plant, LE	y bock	ec come	o T back
plant, LE in. Rad A Fau dogu	y bock		o T back
PLANT, LE in. Rad A Few dogu	y bock	ec come	o T back
Pesticide(s) to be applied:(Include	Apples, Au  Locals in	didens, A	ot back
Pesticide(s) to be applied:(Include	Apples, Au  Locals in	Number)	sock
Pesticide(s) to be applied:(Includence Round 4p Ca	Antion  Maples, Ac  Locals in  ding EPA Registration	Number)	
Pesticide(s) to be applied:(Include	Antion  Maples, Ac  Locals in  ding EPA Registration	Number)	
Pesticide(s) to be applied:(Includence Round 4p Ca	Antion  Maples, Ac  Locals in  ding EPA Registration	Number)	<u>S</u> S/. Q
Pesticide(s) to be applied:(Includence Round 4p Ca	Maples, Accepts in the stration of the strategy of the strateg	Number)	<u>S</u> S/. @ <


VII.	Approximate dates of spray application:
	Month of August 2025.
VIII.	Application Equipment:  Hard Backpart AND INJECTION QUI
IX.	Standard(s) to be varied from: 25' From wather Edge.
X.	Method to ensure equivalent protection:
	only spry after ent or inject
XI.	Revegetation Plan (attach separately if necessary)
	NONE
Signe	d: Stew M. Bust Date: 7/25/25

Return completed form to: Board of Pesticides Control, 28 State House Station, Augusta, ME 04333-0028

OR E-mail to: pesticides@maine.gov



THE STAND IS 200 FT Long. 20 FT WIDE @
STANT NARROWS TO SFT ON THE OPPSITE
END. I PLAN TO STEM inject 90% of STAND.
CUT AND SPANJ THE SMAllen STEWS I CAN'T
INJECTED. STEM STANT @ A FENCE LINE
AND go down THE bank TO WATER ROGE.
USING RICKY POON SOIL.



WATER IN WAS

