

Table 1. A partial list of the plants most susceptible to adult Japanese beetle attack.

SCIENTIFIC NAME	COMMON NAME
<i>Acer palmatum</i>	Japanese maple
<i>Acer platanoides</i>	Norway maple
<i>Aesculus hippocastanum</i>	Horsechestnut
<i>Althaea officinalis</i>	Marsh mallow
<i>Alcea rosea</i>	Hollyhock
<i>Asparagus officinalis</i>	Asparagus
<i>Betula populifolia</i>	Gray birch
<i>Castanea dentata</i>	American chestnut
<i>Clethra alnifolia</i>	Sweet pepper bush
<i>Glycine max</i>	Soybean
<i>Hibiscus palustris</i>	Common rose mallow
<i>Hibiscus syriacus</i>	Shrub Althea
<i>Juglans nigra</i>	Black walnut
<i>Kerria japonica</i>	Globe flower
<i>Lagerstroemia indica</i>	Crepe myrtle
<i>Malus baccata</i>	Crabapple
<i>Malus floribunda</i>	Japanese flowering crabapple
<i>Malus sylvestris</i>	Apple
<i>Malva rotundifolia</i>	Mallow
<i>Oenothera biennis</i>	Evening primrose
<i>Parthenocissus quinquefolia</i>	Virginia creeper
<i>Platanus acerifolia</i>	London planetree
<i>Polygonum orientale</i>	Princeplume smartweed
<i>Polygonum pennsylvanicum</i>	Pennsylvania smartweed
<i>Populus nigra italica</i>	Lombardy poplar
<i>Prunus armeniaca</i>	Apricot
<i>Prunus avium</i>	Sweet cherry
<i>Prunus cerasus</i>	Sour cherry
<i>Prunus domestica</i>	Garden plum
<i>Prunus persica</i>	Peach
<i>Prunus persica var. nucipersica</i>	Nectarine
<i>Prunus salicina</i>	Japanese plum
<i>Prunus serotina</i>	Black cherry
<i>Rheum rhaponticum</i>	Garden rhubarb
<i>Rhus toxicodendron</i>	Poison ivy
<i>Rosa spp.</i>	Rose
<i>Salix discolor</i>	Pussy willow
<i>Sassafras albidum</i>	Sassafras
<i>Sorbus americana</i>	American mountain ash
<i>Tilia americana</i>	American linden
<i>Ulmus americana</i>	American elm
<i>Vaccinium corymbosum</i>	Highbush blueberry
<i>Vitis aestivalis</i>	Summer grape
<i>Vitis labrusca</i>	Fox grape
<i>Vitis vinifera</i>	European white grape
<i>Zea mays</i>	Corn