Checklist for Norovirus Outbreaks in Long Term Care



Dа	ite Initiated:	Name:
Da	accomition Denouting &	Contina
<u>Ke</u>	disease.reporting@maine.g	rus outbreak, notify Maine CDC by calling 1-800-821-5821 or emailing ov (please no patient information)
		from Field Epidemiologists for identification purposes: #
		mptomatic residents and staff
		timens from affected residents and staff as soon as an outbreak is suspected
		r specimen collection, handling, and transport; label specimens with Outbreak #
	Outbreak is consider resor	ed when 96 hours (2 incubation periods) has elapsed from last onset of symptoms
<u>Co</u>	ontrol Measures for Faci	<u>ity</u>
Inf	fection Control:	
		s for ill residents during outbreak
		s while caring for ill residents and cleaning up feces or vomitus
		e equipment for resident care to minimize transmission
		as possible and suspend group activities
		movement between affected and unaffected units/wards
	Enforce strict hand hygien	
		water after contamination with vomitus or feces
	Supplement hand washing	with soap and water with ethanol or alcohol-based hand sanitizers
En	vironmental Controls:	
		and high touch items (faucets, door handles, and toilet or bath rails)
	Use EPA-registered disinfection	ctants or detergents/disinfectants approved for use against norovirus for routine
		ft furnishings with hot water and detergent or steam clean as appropriate
		lly using appropriate infection control precautions
	Conduct thorough cleaning	of affected personal and communal areas 48 hours after resolution of the last case
Ad	dministrative Controls:	
		for at least 48 hours after symptoms have resolved
		much as possible until after the outbreak is contained. Consider risks/benefits of
	limiting dining hall service	
		reak and proper hand hygiene
	Restrict admissions if outb	eak escalates or is prolonged
<u>Re</u>	ecommendations for Res	
		ay in their room/apartment if they are sick to minimize contact with unaffected
		rs after symptoms have resolved
		e for residents: after using the toilet, having contact with an ill individual, and before
	preparing food, eating or d	
		it at least 48 hours after symptoms resolve before visiting residents
	Consider restricting outsid	visitation until the outbreak has subsided
<u>Int</u>	ternal and External Con	munications
		ntact for internal communications
		ntact for external communications
	-	control measures and conduct enhanced surveillance for ill staff
		of outbreak and control measures and request ill residents report to nursing staff

Please refer to Maine CDC's Norovirus Outbreak Guidance for Long Term Care for more detail Available at http://www.maine.gov/dhhs/norovirus