




## **Case Information:**



### **Characteristics:**



# Case Rate by Age Group (per 100,000):



# **Babesiosis**

Maine Surveillance Report | 2022

## Demographics:




62% of patients were male

Median age of 67 Age range of 1 month-93 years

95% of patients were White

# Geography:




#### Trends:

- · Cases reported in 14 out of 16 counties.
- Highest rate in Knox County.
- Highest rate in 65+ age group.
- Lowest rate in 5-14 age group.
- Most common symptoms reported are fevers, muscle aches, chills, headaches, sweats, and joint pain.

## For more information visit:

- www.maine.gov/dhhs/babesiosis
- www.cdc.gov/babesiosis







## **Clinical Information:**



41% reported history of tick bite

38% co-infected with Lyme disease

3% co-infected with anaplasmosis

1% co-infected with all three diseases



69% reported a fever

64% reported muscle aches

64% reported chills

**54%** reported a headache




44% had low platelet counts

46% had low red blood cell counts

56% reported sweats

31% reported joint pain

# Monthly Distribution (by date of report):



### Prevention:

Wear light-colored clothing, including longsleeved shirts, long pants, and socks Use EPA-approved repellants on skin and clothing

Avoid infested areas like wooded and brushy areas with high grass and leaf litter Do a full-body tick check including your clothing and gear when coming back indoors Call a healthcare provider if symptoms develop