OXFORD COUNTY HEALTH PROFILE

Maine Shared Community Health

Needs Assessment

January 2025

Table of Contents

| Introduction | 1 |
|--|----|
| Data Commitments | 1 |
| Data Criteria | 1 |
| Data Limitations, Gaps, & Considerations | 2 |
| Data Changes | 4 |
| Data Discrepancies | 4 |
| How To Read This Document | 4 |
| Demographics | 7 |
| Data for Oxford County and Topics | 8 |
| Demographics | 8 |
| Social Drivers of Health | 8 |
| General Health Status | 10 |
| Overall Mortality | 10 |
| Access | 11 |
| Health Care Quality | 11 |
| Cancer | 11 |
| Cardiovascular Disease | 13 |
| Diabetes | 13 |
| Respiratory Health | 14 |
| Physical Activity, Nutrition, and Weight | 14 |
| Pregnancy and Birth Outcomes | 15 |
| Children with Special Health Care Needs | 16 |
| Cognitive Health | 16 |
| Arthritis | 16 |
| Environmental Health | 16 |
| Immunization | 16 |
| Infectious Disease | 17 |
| Unintentional Injury | 17 |
| Intentional Injury | 18 |
| Mental Health | 10 |

| Oral Health | 19 |
|---|----|
| Substance Use | 20 |
| Tobacco Use | 21 |
| Languages Spoken by Language Category | 23 |
| Gay, Lesbian and Bisexual (high school students) | 23 |
| Percentage of Population with Disability by Type | 23 |
| Children with Disabilities by Type | 24 |
| Percentage of Households by Income Groups | 24 |
| Employment by Industry and Occupation | 25 |
| Households by Type of Head of Household | 25 |
| Number of Vehicles by Household Owners and Renters | 26 |
| Commute by Transportation Type | 26 |
| Age of Housing Stock | 26 |
| Heating Fuel Type | 27 |
| Households that Spend More than 50% Income toward Housing | 27 |
| Leading Causes of Death | 28 |
| Acknowledgements | 29 |
| Appendix A: New and Retired Indicators | 30 |
| Appendix B: Data Sources and Definitions | 34 |

Introduction

The Maine Shared Community Health Needs Assessment (Maine Shared CHNA) is a collaborative partnership between Central Maine Healthcare, Northern Light Health, MaineGeneral Health, MaineHealth, the Maine Center for Disease Control and Prevention, and the Maine Community Action Partnership. By engaging and learning from people and communities and through data analysis, the partnership aims to improve the health and well-being of all people living in Maine. This is the fifth collaborative Maine Shared CHNA.

The mission of the Maine Shared CHNA is to:

- Create shared CHNA reports,
- Engage and activate communities, and
- Support data-driven improvements in health and well-being for all people living in Maine.

These data profiles, as well as additional information and data, can be found online at the Maine Shared CHNA's website – www.mainechna.org.

Data Commitments

The Maine Shared CHNA uses a set of data stewardship guidelines to ensure data is collected, analyzed, shared, published, and stored in a transparent and responsible manner. Included in these guidelines is a commitment to promote data equity in data collection, analyses, and reporting, including:

- Correctly assign the systemic factors that compound and contribute to health behaviors and health outcomes rather than implying that social or demographic categories are "causes" of disparities. We will use a systems-level approach when discussing inequities to avoid judging, blaming, and/or marginalizing populations.
- Lead with and uplift the assets, strengths, and resources when discussing populations and communities, specifically with qualitative data collection.
- Acknowledge missing data and data biases and limitations.
- Identify and address important issues for which we lack data.
- Share data with communities affected by challenges, including sharing analysis, reporting and ownership of findings.

Data Criteria

The Metrics Committee, one of two standing Committees of the Maine Shared CHNA, is charged with reviewing and revising a common set of population and community health and well-being indicators and measures every three years. Each cycle, the following criteria are used to guide an extensive review of the data:

Describes an existing or emerging health issue;

- Describes one or more social drivers of health (SDOH);
- Describes the people in Maine;
- Measures an issue that is actionable;
- Describes issues that are known to have high health and/or social costs;
- Collectively provide for a comprehensive description of population health;
- Aligns with national health assessments (i.e.: County Health Rankings, American Health Rankings, Healthy People);
- Aligns with data previously included in Maine Community Health Partnership Assessments;
- Aligns with data routinely analyzed by the Maine CDC for program planning, monitoring, and evaluation;
- Have recent data less than two years old or have updates coming; and/or
- Were previously included, allowing for trends to be presented.

Additionally, the Metrics Committee, Maine CDC, and Crescendo Consulting Group (the Maine Shared CHNA vendor) reviewed the data to check for changes in data sources and definitions, potential new sources of data, and any discrepancies or errors in the data.

Data Limitations, Gaps, & Considerations

Quantitative data collection and analysis has several benefits, including the ability to see health and well-being trends over time. The Maine Shared CHNA draws on many data sets at the state and national level. Some of these include self-reported surveys while others are reports of health and well-being care and utilization rates. Each methodology has its own advantages and disadvantages and both have limitations in response options and sample sizes. Additionally, some quantitative data representing the same indicators may be slightly different due to the source of the data and the methods used for interpretation. For example, this occurs with death data from the Maine's Data, Research, and Vital Statistics database versus the U.S. CDC's WONDER database.

The data sets used by the Maine Shared CHNA generally follow federal reporting guidelines and responses for race, ethnicity, sexual orientation, and gender identity, which may not encompass nor resonate with everyone and leave them without an option that represents their identity. Additionally, for some demographics, the numbers may be too small to have data disaggregated at certain levels, specifically the city and county level. Small sample sizes may pose the risk of unreliable or identifiable data. Both a lack of comprehensive response options and small sample sizes can lead to a gap in data analysis and reporting and leave some populations and communities underrepresented or missing entirely. The Maine Shared CHNA generally relies on state-level data and the aggregation of multiple years of data for more reliable estimates with less suppression. This implies an assumption that disparities found at the state level have similar patterns for smaller geographical areas, which does not account for the unique characteristics of populations throughout the state.

These data limitations may result in programming and policies that do not meet the needs of certain populations. To try to account for some of these gaps and complement the quantitative data, the Maine Shared CHNA engaged in an extensive community engagement process. That process and the results are outlined in the Community Engagement Overviews.

Specific data changes and limitations relevant to the 2024 Maine Shared CHNA data analysis are further described below.

Data Changes

This cycle brought a number of new indicators to the data set with the addition of the Maine Community Action Partnership to the Maine Shared CHNA collaborative, specifically related to social drivers of health. Social drivers of health (SDOH) are conditions in the environments where people are born, live, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-life outcomes and risks. Previous versions of the Maine Shared CHNA have used the term social determinants of health to capture that same type of data. These and other changes were made based on currently available data and reviews by the Metrics Committee, Maine CDC, and Crescendo Consulting Group (the Maine Shared CHNA vendor). New indicators, indicator changes, and retired indicators are listed in Appendix A: New and Retired Indicators.

Data Discrepancies

COVID's Impact

The COVID-19 pandemic impacted health and well-being behaviors, utilization of health care, and health and well-being outcomes, among other things. Although we have mostly emerged from the pandemic, we are still experiencing a myriad of lingering effects and impacts from it. These impacts are now being reflected in a multitude of data sets from roughly 2020 through 2023. In most cases, more recent, post-pandemic data is not yet available. Rather than exclude data collected during the pandemic, unless advised by the data source, we encourage readers to interpret data collected during the pandemic with this context in mind and recognize that it may not be representative of a non-pandemic year.

Health Equity Profiles

The Maine Shared CHNA highlights populations and geographies that experience disparate health and well-being outcomes due to social and institutional inequities through a community engagement process and health equity data profiles. Due to limitations in data availability and capacity of Maine Shared CHNA partners, health equity profiles on rurality and disability status will not be ready until early 2025. Additionally, some health equity profiles may include fewer indicators than others given data availability, suppressed data rates, and what is and is not collected at the state and national level. As noted above, disparities are generally only analyzed at the state level. The Maine Shared CHNA website and dashboard will be updated as data is available and analyzed.

How To Read This Document

This document provides more than 250 health and well-being indicators that describe demographics, health outcomes and behaviors, and conditions that influence our health and well-being. The data come from more than 30 sources and represent the most recent information available and analyzed as of November 2024. Data from several years is often combined to ensure there is enough data to draw conclusions. County data are compared to benchmarks in several ways: between two time periods; to the state; and to the U.S. The two

time periods can be found within the tables under columns marked, "Point 1" and "Point 2." The majority of comparisons are based on 95% confidence intervals. In some instances, a 90% confidence interval is used and is noted with a "#" symbol. Confidence intervals may be determined using various methodologies (e.g. using weighting in calculations), resulting in a more narrow or wide margin of error and impacting the frequency of statistically significant differences. A 95% confidence interval is a way to say that if this indicator were measured over and over for the same population, we are 95% confident that the true value among the total population falls within the given range/interval. When the confidence intervals of two measurements do not overlap, the difference between them is statistically significant. Where confidence intervals were not available, no indicator of significant difference has been made.

The tables use symbols to show whether there are significant changes for each indicator over time, and to show if local data is notably better or worse than the state or the U.S. Additional symbols are used to note when data may be too small for statistical reliability and suppressed due to a small number of responses and when data is pending (available at a later date) or unavailable.

See the box below for a key to the symbols:

| CHAN | CHANGE shows statistically significant changes in the indicator over time, based on 95% confidence interval (see | | | | | | | | | | |
|--------|--|--|--|--|--|--|--|--|--|--|--|
| descr | ption above). | | | | | | | | | | |
| * | means the health issue or problem is getting better over time. | | | | | | | | | | |
| ! | means the health issue or problem is getting worse over time. | | | | | | | | | | |
| 0 | means the change was not statistically significant. | | | | | | | | | | |
| N/A | means there is not enough data to make a comparison. | | | | | | | | | | |
| # | means compared at 90% Confidence Interval. | | | | | | | | | | |
| | | | | | | | | | | | |
| BENCH | MARK compares Oxford data to state and national data, based on 95% confidence interval (see description | | | | | | | | | | |
| above) | | | | | | | | | | | |
| * | means Oxford is doing significantly better than the state or national average. | | | | | | | | | | |
| ! | means Oxford is doing significantly worse than the state or national average. | | | | | | | | | | |
| 0 | means there is no statistically significant difference between the data points. | | | | | | | | | | |
| N/A | means there is not enough data to make a comparison. | | | | | | | | | | |
| # | means compared at 90% Confidence Interval. | | | | | | | | | | |
| ADDITI | ONAL SYMBOLS | | | | | | | | | | |
| * | means results may be statistically unreliable due to small numbers, use caution when interpreting. | | | | | | | | | | |
| ~ | means suppressed data due to a small number of respondents. | | | | | | | | | | |
| ۸ | means data is pending. | | | | | | | | | | |
| _ | means data is unavailable. | | | | | | | | | | |
| L | | | | | | | | | | | |

Data in this report are presented as either rates, percentages, numbers, or ratios.

- For data that is represented as a percentage, the "%" symbol appears with the data point. The most common conditions and behaviors are presented as percentages.
- When the health condition, behavior, or outcome is less common, the numbers are presented as rates per 1,000, 10,000, or 100,000 people. For indicators that are a rate, look below the indicator name to see the rate denominator (per 1,000 or per 10,000, etc.). The less common the health condition, behavior, or outcome is, the larger the denominator.
- For a few indicators, a denominator is not available, and the data is presented as a number.
- For health care provider availability, the standard measure is a ratio, representing 1 provider for the specified number of people in the population.

Demographics

The following tables and chart show information about the population of Oxford County. The differences in age and poverty are important to note as they may affect a wide range of health and well-being outcomes


Oxford County Population **58,276**

State of Maine Population **1,366,949**

| | Oxford | Maine |
|-------------------------------|----------|----------|
| Median household income | \$54,780 | \$68,251 |
| Unemployment rate | 3.1% | 3.1% |
| Individuals living in poverty | 14.4% | 10.9% |
| Children living in poverty | 21.2% | 13.4% |
| 65+ living alone | 26.5% | 29.5% |

| | Oxfor | d County |
|-------------------------------------|---------|----------|
| | Percent | Number |
| American Indian/Alaskan Native | 0.2% | 125 |
| Asian | 0.5% | 275 |
| Black/African American | 0.3% | 171 |
| Native Hawaiian or Pacific Islander | 0.0% | 4 |
| Some other race | 0.5% | 278 |
| Two or more races | 4.1% | 2,380 |
| White | 94.5% | 55,043 |
| | | |
| Hispanic | 1.6% | 924 |
| Non-Hispanic | 98.4% | 57,352 |

The chart below shows the shift in the age of the population between 2015-2019 and 2018-2022. As Maine's population grows older, there may be impacts on health care costs, caregivers, and workforce capacity, while on the other end, increases in children may cause impacts on child care availability and educational institutions.



Data for Oxford County

| | 0) | Oxford County | | | Benchmarks | | | Benchmarks | | |
|---|---------------------------------|------------------------------------|------------|------------------------------------|------------|---------------------------|------------|------------|--|--|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- | | | |
| Demographics | | | | | | | | | | |
| Population (percent of total Maine population) | 2015-2019 4.3% | 2018-2022 4.3% | N/A | _ | N/A | _ | N/A | | | |
| Veterans | 2015-2019 10.2% | 2018-2022 10.4% | N/A | 2018-2022 9.0% | N/A | 2018-2022 6.6% | N/A | | | |
| Gay, lesbian and bisexual (adults) | 2011-2015 & 2017 2.6% | 2015 & 2017-2021 4.5% | N/A | 2015 & 2017-2021 4.9% | N/A | _ | N/A | | | |
| Transgender youth | 2019 1.6% | 2023 5.4% | N/A | 2023 4.5% | N/A | _ | N/A | | | |
| Transgender adults | _ | 2017-2021 0.6%* | N/A | 2017-2021 1.4% | N/A | _ | N/A | | | |
| Persons with a disability | 2015-2019 18.5% | 2018-2022 17.9% | N/A | 2018-2022 15.8% | N/A | 2018-2022 12.9% | N/A | | | |
| Foreign born | 2015-2019 1.5% | 2018-2022 1.4% | N/A | 2018-2022 3.8% | N/A | 2018-2022 13.7% | N/A | | | |
| Limited English Proficiency | 2015-2019 0.5% | 2018-2022 0.3% | N/A | 2018-2022 1.5% | N/A | 2018-2022 8.2% | N/A | | | |
| Social Drivers of Health | | | | | | | | | | |
| People living in rural areas | 2019 100.0% | 2022 100.0% | N/A | 2019 66.2% | N/A | _ | N/A | | | |
| Individuals living in poverty | 2015-2019 15.1% | 2018-2022 14.4% | O# | 2018-2022 10.9% | !# | 2018-2022 12.5% | !# | | | |
| Percentage of families living below the federal poverty level | 2015-2019 6.6% | 2018-2022 4.9% | ★ # | 2018-2022 6.4% | ★ # | 2018-2022 8.8% | ★ # | | | |
| Children living in poverty | 2015-2019 25.6% | 2018-2022 21.2% | O# | 2018-2022 13.4% | !# | 2018-2022 16.7% | 0# | | | |
| School-aged children living below 185% of poverty | 2019 62.3% | 2024 54.2% | N/A | 2024 36.8% | N/A | _ | N/A | | | |
| Households living above the federal poverty level but below the Asset Limited Income Constrained Employed threshold of financial survival | 2019 33.4% | 2022 37.0% | N/A | 2022 30.2% | N/A | _ | N/A | | | |
| Households living above the Asset Limited Income Constrained Employed threshold of financial survival | 2019 53.1% | 2022 48.5% | N/A | 2022 58.0% | N/A | _ | N/A | | | |
| Asset poverty (insufficient net worth to live without income at or above the poverty level for three months) | 2018 18.0% | 2021 15.0% | N/A | 2021 18.0% | 0 | 2021 19.0% | 0 | | | |

| | 0) | ford County | | Benchmarks | | | | |
|--|-------------------------------|-------------------------------|------------|-------------------------------|------------|---------------------------------|------------|--|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- | |
| Social Drivers of Health (contin | • | | | | | | | |
| Median household income | 2015-2019 \$49,204 | 2018-2022 \$54,780 | ★ # | 2018-2022 \$ 68,251 | !# | 2018-2022 \$75,149 | !# | |
| Unemployment | 2020 6.7% | 2023 3.1% | N/A | 2023 3.1% | N/A | 2023 3.6% | N/A | |
| High school student | 2020-2021 | 2022-2023 | N/A | 2022-2023 | N/A | _ | N/A | |
| graduation Associate's degree or higher | 83.1% | 85.3% | | 87.3% | - | | - | |
| among those age 25 and older | 2015-2019 30.5% | 2018-2022 33.1% | O# | 2018-2022 44.4% | !# | 2018-2022 43.1% | !# | |
| Households that spend more than 50% of income toward housing | 2015-2019 10.7% | 2018-2022 11.6% | O# | 2018-2022 11.3% | 0# | 2018-2022 14.1% | * # | |
| Median gross rent | 2015-2019 \$713 | 2018-2022 \$781 | 0# | 2018-2022 \$1,009 | * # | 2018-2022 \$1,268 | ★ # | |
| Median housing value | 2015-2019 \$144,100 | 2018-2022 \$176,800 | N/A | 2018-2022 \$244,800 | N/A | 2018-2022 \$281,900 | N/A | |
| Total housing units | 2015-2019 36,942 | 2018-2022 36,355 | !# | 2018-2022 741,803 | N/A | 2018-2022 140,943,613 | N/A | |
| Housing units that are vacant and either for rent or for sale | 2017 5.2% | 2022 2.6% | N/A | 2022 1.6% | N/A | 2022 2.5% | N/A | |
| Housing occupancy | 2015-2019 57.8% | 2018-2022 63.8% | N/A | 2018-2022 78.2% | N/A | 2018-2022 89.2% | N/A | |
| Owner-occupied housing | 2015-2019 80.8% | 2018-2022 80.3% | N/A | 2018-2022 73.5% | N/A | 2018-2022 64.8% | N/A | |
| Owner-occupied households without mortgage | 2015-2019 45.4% | 2018-2022 48.1% | O# | 2018-2022 40.2% | * # | 2018-2022 38.5% | ★ # | |
| 65+ living alone | 2015-2019 24.0% | 2018-2022 26.5% | N/A | 2018-2022 29.5% | N/A | 2018-2022 27.2% | N/A | |
| Household with no phone services | 2015-2019 2.2% | 2018-2022 1.5% | O# | 2018-2022 0.9% | ! # | 2018-2022 1.0% | O# | |
| Households with a broadband subscription | 2015-2019 77.3% | 2018-2022 82.8% | ★ # | 2018-2022 87.3% | ! # | 2018-2022 88.3% | !# | |
| Households with a computer | 2015-2019 87.1% | 2018-2022 89.1% | O# | 2018-2022 92.9% | O# | 2018-2022 94.0% | O# | |
| Children experiencing homelessness (pre-k to high school) | _ | 2023 154 | N/A | 2023 2,825 | N/A | _ | N/A | |
| Housing insecure (high school students) | 2021 2.5% | 2023 1.9% | 0 | 2023 2.6% | 0 | _ | N/A | |
| No vehicle for the household | 2015-2023 5.8% | 2018-2022 5.6% | 0# | 2018-2022 6.9% | O# | 2018-2022 8.3% | * # | |
| Commute of greater than 30 minutes driving alone | 2015-2019 41.9% | 2018-2022 43.4% | O# | 2018-2022 33.9% | !# | 2018-2022 36.5% | !# | |
| Children served in publicly funded state and local preschools | 2019 61.2% | 2023 64.3% | N/A | 2023 48.5% | N/A | _ | N/A | |

| | 0> | ford County | | Benchmarks | | | |
|---|-----------------------------|-----------------------------|--------|-----------------------------|-----|-----------------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Social Drivers of Health (conti | nued) | | | | | | |
| Head Start eligible infants, toddlers, preschool age children | 2015-2019 32.1% | 2017-2021 24.6% | N/A | 2017-2021 14.9% | N/A | 2017-2021 18.4% | N/A |
| Children served by Child Development Services | _ | _ | N/A | 2021 97.7% | N/A | _ | N/A |
| Children served by Maine Home Visiting | _ | _ | N/A | 2023-2024 1,815 | N/A | _ | N/A |
| Caregivers served by Maine Home Visiting | _ | _ | N/A | 2023-2024 2,013 | N/A | _ | N/A |
| Child care centers | 2020 35 | 2024 33 | N/A | 2024 783 | N/A | _ | N/A |
| Family child care programs | 2020 27 | 2024 19 | N/A | 2024 683 | N/A | _ | N/A |
| Head Start teachers hourly wage average | _ | _ | N/A | 2021-2022 \$17.91 | N/A | 2021-2022 \$19.23 | N/A |
| Head Start teacher assistants hourly wage average | _ | _ | N/A | 2021-2022 \$13.14 | N/A | 2021-2022 \$12.52 | N/A |
| Adverse childhood experiences (high school students) | 2021 29.7% | 2023 29.8% | 0 | 2023 26.7% | 0 | _ | N/A |
| Children in foster care per 1,000 children | 2019 7.5 | 2024 13.7 | N/A | 2024 10.3 | N/A | _ | N/A |
| General Health Status | | | | | | | |
| Fair or poor health (self- rated) | 2015-2017 17.6% | 2019-2021 17.2% | 0 | 2019-2021 15.3% | 0 | 2021 14.8% | N/A |
| 14 or more days lost due to poor physical health | 2015-2017 13.1% | 2019-2021 14.8% | 0 | 2019-2021 11.6% | 0 | 2021 11.0% | N/A |
| 14 or more days lost due to poor mental health | 2015-2017 12.4% | 2019-2021 16.2% | 0 | 2021 14.0% | N/A | 2021 14.7% | N/A |
| Three or more chronic conditions | 2018-2020 17.2% | 2019-2021 18.8% | 0 | 2019-2021 16.0% | 0 | _ | N/A |
| Overall Mortality | | | | | | | |
| Life expectancy | 2018-2020 79.1 | 2019-2021 76.7 | ! | 2019-2021 78.6 | ! | _ | N/A |
| Overall death rate per 100,000 population | 2015-2019 797.5 | 2018-2022 824.7 | ! | 2022 844.3 | N/A | _ | N/A |
| Rate of years of potential life lost per 100,000 population | 2016-2018 7,698.8 | 2019-2021 8,897.0 | 0 | 2019-2021 7,811.8 | 0 | 2019-2021 8,000.0 | N/A |

| | 0) | Oxford County Benchmarks | | | | | |
|---|---------------------------|---------------------------|--------|---------------------------|-----|---------------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Access | | | | | | | |
| Uninsured | 2015-2019 8.8% | 2018-2022 9.0% | 0 | 2018-2022 7.1% | * | 2018-2022 8.7% | 0 |
| MaineCare enrollment (all ages) | 2020 36.4% | 2023 34.2% | N/A | 2023 27.6% | N/A | _ | N/A |
| MaineCare enrollment (ages 0-19) | 2020 56.3% | 2023 65.4% | N/A | 2023 48.5% | N/A | _ | N/A |
| Ratio of population to primary care physicians | 2019 1,742 | 2024 1,833 | N/A | 2024 1,047 | N/A | _ | N/A |
| Usual primary care provider (adults) | 2015-2017 89.1% | 2019-2021 87.6% | 0 | 2019-2021 87.5% | 0 | 2020 76.9% | N/A |
| Primary care visit to any primary care provider in the past year | 2015-2017 73.2% | 2019-2021 80.1% | * | 2019-2021 79.0% | 0 | 2020 74.7% | N/A |
| Child preventative visits | _ | _ | N/A | 2021-2022 85.9% | N/A | 2021-2022 76.8% | N/A |
| Cost barriers to health care | 2015-2017 11.6% | 2019-2021 11.5% | 0 | 2019-2021 9.7% | 0 | 2021 9.9% | N/A |
| Health Care Quality | | | | | | | |
| Ambulatory care-sensitive condition hospitalizations per 10,000 population | 2016-2018 63.9 | 2019-2021 40.1 | * | 2019-2021 42.8 | 0 | _ | N/A |
| Ambulatory care-sensitive condition emergency department rate per 10,000 population | 2016-2018 317.3 | _ | N/A | 2016-2018 282.5 | N/A | _ | N/A |
| Cancer | | | | | | | |
| All cancer deaths per 100,000 population | 2015-2019 175.8 | 2018-2022 168.7 | 0 | 2018-2022 159.9 | 0 | 2020 144.1 | N/A |
| Colorectal cancer deaths per 100,000 population | 2015-2019 14.1 | 2018-2022 13.8 | 0 | 2018-2022 12.7 | 0 | 2021 12.8 | N/A |
| Female breast cancer deaths per 100,000 population | 2015-2019 14.6 | 2018-2022 17.6 | 0 | 2018-2022 16.7 | 0 | 2020 19.1 | N/A |
| Lung cancer deaths per 100,000 population | 2015-2019 55.8 | 2018-2022 44.7 | 0 | 2018-2022 40.2 | 0 | 2020 31.8 | N/A |
| Prostate cancer deaths per 100,000 population | 2015-2019 12.5 | 2018-2022 22.6 | 0 | 2018-2022 19.9 | 0 | 2020 18.5 | N/A |
| Tobacco-related cancer deaths per 100,000 population | 2015-2019 58.9 | 2018-2022 57.1 | 0 | 2018-2022 52.8 | 0 | 2020 42.1 | N/A |
| All cancer new cases per 100,000 population | 2016-2018 472.5 | 2019-2021 466.1 | 0 | 2019-2021 476.0 | 0 | 2019 438.6 | N/A |
| Bladder cancer new cases per 100,000 population | 2016-2018 30.1 | 2019-2021 22.5 | 0 | 2019-2021 26.4 | 0 | 2019 18.3 | N/A |

| | O | xford County | | Benchmarks | | | |
|--|-----------------------------|-----------------------------|--------|--------------------------------|-----|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Cancer (continued) | | | | | | | |
| Colorectal cancer new cases per 100,000 population | 2016-2018 40.6 | 2019-2021 35.1 | 0 | 2019-2021 35.0 | 0 | 2019 36.3 | N/A |
| Female breast cancer new cases per 100,000 population | 2016-2018 126.6 | 2019-2021 120.3 | 0 | 2019-2021 135.4 | 0 | 2019 129.7 | N/A |
| Lung cancer new cases per 100,000 population | 2016-2018 77.1 | 2019-2021 77.4 | 0 | 2019-2021 65.3 | 0 | 2019 52.9 | N/A |
| Melanoma skin cancer new cases per 100,000 population | 2016-2018 16.5 | 2019-2021 13.6 | 0 | 2019-2021 26.6 | * | 2019 22.7 | N/A |
| Prostate cancer new cases per 100,000 population | 2016-2018 77.0 | 2019-2021 90.2 | 0 | 2019-2021 106.2 | 0 | 2019 111.6 | N/A |
| Tobacco-related cancer (excluding lung cancer) new cases per 100,000 population | 2016-2018 155.6 | 2019-2021 131.0 | 0 | 2019-2021 137.2 | 0 | 2019 125.0 | N/A |
| HPV-associated cancer new cases per 100,000 population | 2016-2018 13.4 | 2019-2021 11.3 | 0 | 2019-2021 15.4 | 0 | 2019 12.5 | N/A |
| Obesity-associated cancer (excluding colon cancer) new cases per 100,000 population | 2016-2018 138.2 | 2019-2021 138.4 | 0 | 2019-2021 138.3 | 0 | 2019 133.2 | N/A |
| Alcohol-associated new cancer cases per 100,000 population | 2017-2019 136.8 | 2019-2021 121.9 | 0 | 2019-2021 135.4 | 0 | _ | N/A |
| Colorectal late-stage new cases per 100,000 population | 2016-2018 22.1 | 2019-2021 23.4 | 0 | 2019-2021 20.7 | 0 | 2019 21.8 | N/A |
| Female breast cancer late- stage new cases per 100,000 population | 2016-2018 42.4 | 2019-2021 36.9 | 0 | 2019-2021 41.2 | 0 | 2019 41.1 | N/A |
| Lung cancer late-stage new cases per 100,000 population | 2016-2018 56.2 | 2019-2021 57.8 | 0 | 2019-2021 42.2 | ! | 2019 34.3 | N/A |
| Breast cancer screening up- to-date | 2014 & 2016 78.6% | 2018 & 2020 83.1% | 0 | 2018 & 2020 82.0% | 0 | 2020 78.3% | N/A |
| Cervical cancer screening up-to-date | 2014 & 2016 78.9% | 2018 & 2020 83.5% | 0 | 2018 & 2020 81.6% | 0 | 2020 77.6% | N/A |
| Colorectal cancer screening up-to-date | _ | 2020 79.6% | N/A | 2020 81.2% | 0 | 2020 74.3% | 0 |
| Lung cancer screening rate among eligible adults | 2017-2020 12.7%* | 2018-2021 14.3%* | 0 | 2018-2021 15.5% | 0 | _ | N/A |

| | 0: | xford County | | Benchmarks | | | |
|---|-----------------------------|-----------------------------|--------|--------------------------------|-----|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Cardiovascular Disease | | | | | | | |
| Cardiovascular disease deaths per 100,000 population | 2015-2019 188.3 | 2018-2022 195.6 | 0 | 2018-2022 200.4 | 0 | 2021 231.8 | N/A |
| Coronary heart disease deaths per 100,000 population | 2015-2019 80.3 | 2018-2022 81.0 | 0 | 2018-2022 82.0 | 0 | 2021 92.8 | N/A |
| Heart attack deaths per 100,000 population | 2015-2019 21.8 | 2018-2022 21.7 | 0 | 2018-2022 24.6 | 0 | 2021 26.8 | N/A |
| Stroke deaths per 100,000 population | 2015-2019 29.8 | 2018-2022 31.1 | 0 | 2022 29.4 | N/A | 2021 41.1 | N/A |
| High blood pressure hospitalizations per 10,000 population | 2016-2018 12.3 | 2019-2021 17.3 | ! | 2019-2021 19.4 | * | _ | N/A |
| Heart failure hospitalizations per 10,000 population | 2016-2018 9.8 | 2019-2021 3.7 | * | 2019-2021 4.5 | 0 | _ | N/A |
| Heart attack hospitalizations per 10,000 population | 2016-2018 21.2 | 2019-2021 19.3 | 0 | 2019-2021 18.9 | 0 | _ | N/A |
| Stroke hospitalizations per 10,000 population | 2016-2018 20.6 | 2019-2021 19.0 | 0 | 2019-2021 19.2 | 0 | _ | N/A |
| High blood pressure | 2015 & 2017 36.1% | 2017 & 2019 36.3% | 0 | 2017 & 2019 35.5% | 0 | 2021 32.4% | N/A |
| High cholesterol | 2015 & 2017 39.3% | 2017 & 2019 38.2% | 0 | 2017 & 2019 36.2% | 0 | 2019 33.1% | N/A |
| Cholesterol checked in past five years | 2015 & 2017 86.1% | 2017 & 2019 85.1% | 0 | 2017 & 2019 87.2% | 0 | 2019 86.6% | N/A |
| Diabetes | | | | | | | |
| Diabetes | 2015-2017 9.6% | 2019-2021 11.0% | 0 | 2019-2021 10.4% | 0 | 2021 10.9% | N/A |
| Diabetes deaths (underlying cause) per 100,000 population | 2015-2019 33.9 | 2018-2022 31.7 | 0 | 2018-2022 25.2 | ! | 2021 25.4 | N/A |
| Diabetes hospitalizations (principal diagnosis) per 10,000 population | 2016-2018 15.6 | 2019-2021 13.7 | 0 | 2019-2021 13.1 | 0 | _ | N/A |
| Diabetes emergency department rate (principal diagnosis) per 10,000 population | 2016-2018 34.3 | _ | N/A | 2016-2018 31.2 | N/A | _ | N/A |
| A1c test at least twice/year (adults with diabetes) | 2011-2017 77.0% | 2014-2021 78.6% | N/A | 2014-2021 75.9% | 0 | 2021 72.7% | N/A |
| Formal diabetes education (adults with diabetes) | 2011-2017 61.7% | 2014-2021 57.4% | N/A | 2014-2021 55.6% | 0 | 2021 52.5% | N/A |
| Dilated eye exam annually (adults with diabetes) | 2011-2017 70.5% | 2014-2021 71.0% | N/A | 2014-2021 71.4% | 0 | 2021 67.1% | N/A |

| | O | xford County | | Benchmarks | | | |
|--|-----------------------------|-----------------------------|--------|--------------------------|-----|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Respiratory Health | | | | | | | |
| Current asthma (adults) | 2015-2017 11.6% | 2019-2021 14.0% | 0 | 2021 11.6% | N/A | 2021 9.8% | N/A |
| Current asthma (youth ages 0-17) | 2014-2016 5.2%* | 2019-2021 6.7%* | 0 | 2019-2021 8.2% | 0 | 2020 7.5% | N/A |
| Chronic obstructive pulmonary disease (COPD) | 2015-2017 10.8% | 2019-2021 11.2% | 0 | 2019-2021 8.8% | 0 | 2021 6.1% | N/A |
| Chronic lower respiratory disease deaths per 100,000 population | 2015-2019 65.2 | 2018-2022 56.4 | 0 | 2022 40.0 | N/A | 2019 38.2 | N/A |
| Asthma emergency department rate per 10,000 population | 2016-2018 62.4 | - | N/A | 2016-2018 42.5 | N/A | _ | N/A |
| Chronic obstructive pulmonary disease hospitalizations per 10,000 population | - | _ | N/A | _ | N/A | _ | N/A |
| Pneumonia hospitalizations per 10,000 population | 2016-2018 21.6 | 2019-2021 11.2 | * | 2019-2021 12.0 | 0 | _ | N/A |
| Physical Activity, Nutrition and | d Weight | | | | | | |
| Obesity (adults) | 2017 30.6% | 2021 31.0% | 0 | 2021 31.9% | 0 | 2021 33.9% | 0 |
| Obesity (high school students) | 2019 18.3% | 2023 16.5% | 0 | 2023 15.7% | 0 | _ | N/A |
| Obesity (middle school students) | 2019 20.9% | 2023 19.8% | 0 | 2023 16.0% | 0 | _ | N/A |
| Overweight (adults) | 2017 37.2% | 2021 37.5% | 0 | 2021 34.0% | 0 | 2021 34.4% | 0 |
| Overweight (high school students) | 2019 19.0% | 2023 17.8% | 0 | 2023 16.0% | 0 | _ | N/A |
| Overweight (middle school students) | 2019 18.8% | 2023 17.0% | 0 | 2023 16.3% | 0 | _ | N/A |
| Sedentary lifestyle – no leisure-time physical activity in past month (adults) | 2017 32.2% | 2021 27.8% | 0 | 2021 26.5% | 0 | 2021 23.7% | 0 |
| Met aerobic physical activity recommendations (adults) | 2015 & 2017 49.4% | 2017 & 2019 48.9% | 0 | 2017 & 2019 52.1% | 0 | 2017 50.6% | N/A |
| Met physical activity recommendations (high school students) | 2019 21.0% | 2023 45.3% | * | 2023 47.7% | 0 | _ | N/A |
| Met physical activity recommendations (middle school students) | 2019 27.9% | 2023 51.8% | * | 2023 50.2% | 0 | _ | N/A |
| Fewer than two hours combined screen time (high school students) | 2019 33.0% | 2023 23.3% | i | 2023 22.9% | 0 | _ | N/A |

| | Oxford County | | | | Benc | hmarks | |
|---|---------------------------|---------------------------|--------|---------------------------|------|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Physical Activity, Nutrition and | d Weight (con | itinued) | | | | | |
| Fewer than two hours combined screen time (middle school students) | 2019 24.6% | 2023 26.0% | 0 | 2023 28.8% | 0 | _ | N/A |
| Fruit consumption (adults reporting less than one serving per day) | 2017 35.1% | 2021 30.8% | 0 | 2021 35.0% | 0 | 2021 39.7% | * |
| Vegetable consumption (adults reporting less than one serving per day) | 2017 13.2% | 2021 11.7% | 0 | 2021 13.1% | 0 | 2021 20.4% | * |
| Fruit and vegetable consumption (high school students reporting five or more a day) | 2019 12.7% | 2023 12.2% | 0 | 2023 14.2% | 0 | - | N/A |
| Fruit and vegetable consumption (middle school students reporting five or more a day) | 2019 19.9% | 2023 17.5% | 0 | 2023 18.9% | 0 | _ | N/A |
| Soda/sports drink consumption (high school students reporting one or more a day) | 2019 22.8% | 2023 26.9% | 0 | 2023 25.3% | 0 | _ | N/A |
| Soda/sports drink consumption (middle school students reporting one or more a day) | 2019 22.7% | 2023 30.2% | 0 | 2023 23.3% | 0 | _ | N/A |
| Food insecurity | 2019 13.6% | 2022 14.6% | N/A | 2022 13.0% | N/A | 2022 13.5% | N/A |
| Food insecurity (youth) | 2019 22.9% | 2022 22.3% | N/A | 2022 18.7% | N/A | 2022 18.5% | N/A |
| Pregnancy and Birth Outcome | s | | | | | | |
| Infant deaths per 1,000 live births | 2015-2019 4.0 | 2018-2022 5.2* | 0 | 2018-2022 5.7 | 0 | 2020 5.4 | N/A |
| Low birth weight (<2,500 grams) | 2018-2019 7.9% | 2021-2022 9.0% | 0 | 2021-2022 7.8% | 0 | 2022 8.6% | N/A |
| Pre-term live births | 2018-2019 8.7% | 2021-2022 9.9% | 0 | 2021-2022 9.5% | 0 | 2022 10.4% | N/A |
| Unintended births | 2016-2019 25.5% | 2017-2020 24.9% | 0 | 2017-2020 20.7% | 0 | _ | N/A |
| Births to 15-19-year olds per 1,000 population | 2018-2019 12.5 | 2021-2022 13.5 | 0 | 2021-2022 8.1 | ! | 2022 13.6 | N/A |
| Adequate prenatal care | _ | 2021-2022 84.6% | N/A | 2021-2022 84.6% | 0 | 2022 74.9% | N/A |
| C-sections among low-risk first births | 2018-2019 27.6% | 2021-2022 25.4% | 0 | 2021-2022 25.5% | 0 | 2022 26.3% | N/A |
| Smoked during pregnancy | 2016-2017 20.6% | 2021-2022 15.2% | * | 2021-2022 9.1% | ! | 2022 3.7% | N/A |
| Drank alcohol during pregnancy | _ | _ | N/A | 2021-2022 10.6% | N/A | _ | N/A |

| | 0 | xford County | | | Benc | hmarks | |
|---|---------------------------------------|-------------------------------------|--------|-------------------------------------|------|---------------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Pregnancy and Birth Outcome | s (continued) | | | | | | |
| Depression during pregnancy | _ | _ | N/A | 2022 16.3% | N/A | 2021 16.5% | N/A |
| Post-partum depression | _ | _ | N/A | 2022 9.8% | N/A | 2021 12.7% | N/A |
| Infants who are ever breast fed | 2018-2019 86.0% | 2021-2022 83.9% | ! | 2021-2022 87.6% | ! | 2022 85.2% | N/A |
| Infants who are exclusively breast fed to 6 months | _ | _ | N/A | 2020 32.4% | N/A | 2020 25.4% | N/A |
| Head Start eligible expectant mothers | _ | _ | N/A | 2022 1,556 | N/A | _ | N/A |
| Children with Special Health | Care Needs | | | | | | |
| Children with special health care needs | _ | _ | N/A | 2021-2022 22.3% | N/A | 2020-2021 19.5% | N/A |
| Developmental screening MaineCare Member | 2020 21.6% | 2023 34.4% | N/A | 2023 26.9% | N/A | _ | N/A |
| Developmental screening for children | _ | _ | N/A | 2020-2021 49.0% | N/A | 2020-2021 34.8% | N/A |
| Cognitive Health | | | | | | | |
| Cognitive decline | 2016 9.3% | 2018 & 2020 9.0% | N/A | 2018 & 2020 9.2% | 0 | 2018 10.8% | N/A |
| Caregiving at least 20 hours per week | 2015, 2017 & 2019 6.1% * | 2017, 2019 & 2021 5.7% | 0 | 2017, 2019 & 2021 5.1% | 0 | _ | N/A |
| Arthritis | 0.2,0 | <u> </u> | | 0.275 | | | |
| Arthritis | 2015-2017 40.0% | 2019-2021 34.9 % | 0 | 2019-2021 30.7% | ! | 2021 25.8% | N/A |
| Environmental Health | | | | | | | |
| Children with lead poisoning (estimated) | 2013-2017 3.0% | 2018-2022 2.2% | 0 | 2018-2022 2.2% | 0 | _ | N/A |
| Lead screening among children (ages 12-23 months) | 2019 74.3% | 2022 64.0% | ! | 2022 68.5% | 0 | _ | N/A |
| Lead screening among children (ages 24-35 months) | 2019 47.6% | 2022 62.0% | * | 2022 46.4% | * | _ | N/A |
| Adults living in households with private wells tested for arsenic | _ | 2016-2019 & 2021 42.6% | N/A | 2016-2019 & 2021 52.7% | ! | _ | N/A |
| Adults living in households tested for radon | _ | 2016-2019 & 2021 23.1% | N/A | 2021 34.9% | N/A | _ | N/A |

| | 0) | ford County | | Benchmarks | | | |
|---|---------------------------|---------------------------|--------|---------------------------|-----|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Immunization | | | | | | | |
| Influenza vaccination in the past year (adults) | 2015-2017 40.7% | 2019-2021 47.0% | 0 | 2019-2021 50.0% | 0 | 2021 45.1% | N/A |
| Pneumococcal pneumonia vaccination (adults ages 65+) | 2015-2017 79.6% | 2019-2021 77.6% | 0 | 2019-2021 73.2% | 0 | 2021 70.1% | N/A |
| Infectious Disease | | | | | | | |
| Lyme disease new cases per 100,000 population | 2020 74.2 | 2021 97.2 | N/A | 2022 191.4 | N/A | _ | N/A |
| Gastrointestinal disease new cases per 100,000 population | 2020 46.6 | 2022 40.3 | N/A | 2022 31.5 | N/A | _ | N/A |
| Hepatitis A (acute) new cases per 100,000 population | 2020 5.2 | 2022 1.7 | N/A | 2022 4.6 | N/A | 2019 5.7 | N/A |
| Hepatitis B (acute) new cases per 100,000 population | 2020 6.9 | 2022 3.4 | N/A | 2022 2.1 | N/A | 2019 1.1 | N/A |
| Hepatitis B (chronic) new cases per 100,000 population | 2020 10.3 | 2022 5.0 | N/A | 2022 14.1 | N/A | 2019 5.9 | N/A |
| Hepatitis C (acute) new cases per 100,000 population | 2020 13.8 | 2022 8.4 | N/A | 2022 9.5 | N/A | 2019 1.7 | N/A |
| Hepatitis C (chronic) new cases per 100,000 population | 2020 127.6 | 2022 102.5 | N/A | 2022 96.4 | N/A | _ | N/A |
| Pertussis new cases per 100,000 population | 2020 0.0 | 2022 3.4 | N/A | 2022 5.7 | N/A | 2019 1.7 | N/A |
| Tuberculosis new cases per 100,000 population | 2020 0.0 | 2022 0.0 | N/A | 2022 1.2 | N/A | 2019 2.7 | N/A |
| Chlamydia new cases per 100,000 population | 2020 157.0 | 2022 220.2 | N/A | 2022 226.4 | N/A | 2019 551.0 | N/A |
| Gonorrhea new cases per 100,000 population | 2020 25.9 | 2022 28.6 | N/A | 2022 44.8 | N/A | 2019 187.8 | N/A |
| Syphilis new cases per 100,000 population | 2020 0.0 | 2022 1.7 | N/A | 2022 8.1 | N/A | 2019 39.6 | N/A |
| HIV new cases per 100,000 population | 2020 1.7 | 2022 0.0 | N/A | 2022 3.0 | N/A | 2019 9.7 | N/A |
| Age-adjusted rates of COVID death per 100,000/year | _ | _ | N/A | 2022 37.2 | N/A | 2022 61.3 | N/A |
| COVID hospital admissions per 100,000/year | 2020 95.5 | 2023 149.3 | N/A | 2023 159.2 | N/A | _ | N/A |

| | O | ford County | | | Benc | hmarks | |
|--|---|---------------------------|--------|---|------|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Unintentional Injury | | | | | | | |
| Injury deaths per 100,000 population | 2015-2019 85.1 | 2018-2022 111.0 | ! | 2018-2022 99.4 | 0 | 2021 89.0 | N/A |
| Fall-related deaths (unintentional) per 100,000 population | 2015-2019 13.5 | 2018-2022 16.6 | 0 | 2018-2022 17.5 | 0 | 2021 11.8 | N/A |
| Motor vehicle traffic crash (unintentional) deaths per 100,000 population | 2015-2019 16.3 | 2018-2022 19.4 | 0 | 2018-2022 11.7 | ! | 2021 13.3 | N/A |
| Poisoning deaths (unintentional and undetermined intent) per 100,000 population | 2015-2019 21.2 | 2018-2022 36.6 | ! | 2018-2022 40.7 | 0 | 2021 32.2 | N/A |
| Work-related deaths (number) | _ | _ | N/A | 2022 23 | N/A | 2019 5,333 | N/A |
| Fall-related injury (unintentional) emergency department rate per 10,000 population | 2016-2018 382.2 | 2019-2021 336.0 | * | 2019-2021 264.3 | ! | _ | N/A |
| Traumatic brain injury emergency department rate per 10,000 population | 2016-2018 45.7 | 2019-2021 38.4 | * | 2019-2021 35.7 | 0 | _ | N/A |
| Always wear seatbelt (high school students) | 2019 65.3% | _ | N/A | 2023 70.0% | N/A | _ | N/A |
| Always wear seatbelt (middle school students) | 2019 75.8% | _ | N/A | 2023 75.6% | N/A | _ | N/A |
| Intentional Injury | | | | | | | |
| Suicide deaths per 100,000 population | 2015-2019 19.7 | 2018-2022 25.4 | 0 | 2018-2022 18.3 | ! | 2021 14.1 | N/A |
| Firearm deaths per 100,000 population | 2015-2019 12.1 | 2018-2022 16.9 | 0 | 2018-2022 11.3 | 0 | 2021 14.6 | N/A |
| Rape/non-consensual sex (among females, lifetime) | 2011, 2012, 2014, 2016 & 2017 17.4% | _ | N/A | 2011, 2012, 2014, 2016 & 2017 14.9% | N/A | _ | N/A |
| Violence by current or former intimate partners in past 12 months (among females) | 2011, 2012, 2014, & 2016 2.9% | _ | N/A | _ | N/A | _ | N/A |
| Intentional self-injury (high school students) | 2019 22.5% | 2023 24.2% | 0 | 2023 22.9% | 0 | _ | N/A |
| Intentional self-injury (middle school students) | 2019 19.7% | 2023 27.7% | 0 | 2023 23.6% | 0 | _ | N/A |

| | 0> | ford County | | Benchmarks | | | |
|---|---------------------------|---------------------------|--------|---------------------------|-----|---------------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Intentional Injury (continued) | | | | | | | |
| Bullying on school property (high school students) | 2019 26.5% | 2023 23.6% | 0 | 2023 21.9% | 0 | _ | N/A |
| Bullying on school property (middle school students) | 2019 48.2% | 2023 55.7% | ! | 2023 48.6% | ! | _ | N/A |
| Electronic bullying (high school students) | 2021 18.7% | 2023 19.2% | 0 | 2023 20.0% | 0 | _ | N/A |
| Electronic bullying (middle school students) | 2021 34.0% | 2023 42.1% | 0 | 2023 35.1% | ! | _ | N/A |
| Violent crime rate per 1,000 population | 2020 1.1 | 2022 0.7 | N/A | 2022 1.0 | N/A | 2022 3.8 | N/A |
| Nonfatal child maltreatment per 1,000 population | _ | - | N/A | 2022 15.3 | N/A | 2022 7.7 | N/A |
| Mental Health | | | | | | | |
| Depression, current symptoms (adults) | 2015-2017 10.4% | 2019-2021 10.9% | 0 | 2019-2021 10.4% | 0 | _ | N/A |
| Depression, lifetime | 2015-2017 22.7% | 2019-2021 24.3% | 0 | 2019-2021 23.0% | 0 | 2021 19.5% | N/A |
| Sad/hopeless for two weeks in a row (high school students) | 2019 35.0% | 2023 37.3% | 0 | 2023 35.0% | 0 | _ | N/A |
| Sad/hopeless for two weeks in a row (middle school students) | 2019 25.3% | 2023 37.3% | ! | 2023 32.7% | 0 | _ | N/A |
| Anxiety, lifetime | 2015-2017 19.7% | 2019-2021 24.5% | 0 | 2019-2021 23.9% | 0 | _ | N/A |
| Seriously considered suicide (high school students) | 2019 19.1% | 2023 20.0% | 0 | 2023 17.8% | 0 | _ | N/A |
| Seriously considered suicide (middle school students) | 2019 20.8% | 2023 26.2% | ! | 2023 21.8% | ! | _ | N/A |
| Ratio of population to mental health providers | 2020 390 | 2024 350 | N/A | 2024 180 | N/A | _ | N/A |
| Ratio of population to psychiatrists | 2019 173,148 | 2024 176,138 | N/A | 2024 8,380 | N/A | _ | N/A |
| Currently receiving outpatient mental health treatment (adults) | 2015-2017 18.4% | 2019-2021 22.4% | N/A | 2019-2021 20.1% | N/A | _ | N/A |
| Children with mental health disorders who receive treatment | _ | _ | N/A | 2020-2021 59.3% | N/A | 2020-2021 51.6% | N/A |
| Oral Health | | | | | | | |
| Ratio of population to practicing dentists | 2019 4,027 | 2024 3,874 | N/A | 2024 2,375 | N/A | - | N/A |
| Tooth loss (adults) | 2016 25.3% | 2020 26.2% | 0 | 2020 18.6% | - | 2020 13.5% | N/A |

| | O | ford County | | Benchmarks | | | |
|--|---------------------------|---------------------------|--------|---------------------------|-----|----------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Oral Health (continued) | | | | | | | |
| Ambulatory care sensitive dental emergency department rates for adults per 10,000 population | 2016-2018 231.9 | _ | N/A | 2016-2018 136.9 | N/A | _ | N/A |
| Ambulatory care sensitive dental emergency department rates for children per 10,000 population | 2016-2018 35.3 | _ | N/A | 2016-2018 17.9 | N/A | - | N/A |
| Dentist visits in the past year (adults) | 2016 60.0% | 2020 57.9% | 0 | 2020 66.7% | į. | 2020 66.7% | ! |
| Insured children with at least one dental claim | 2019 61.3% | 2022 49.6% | N/A | 2022 54.2% | N/A | _ | N/A |
| Insured children with at least one preventative dental visit | 2019 57.2% | 2022 45.6% | N/A | 2022 49.9% | N/A | _ | N/A |
| Children covered by dental insurance | 2019 59.8% | 2022 81.0% | N/A | 2022 70.5% | N/A | _ | N/A |
| Dentist visits in the past year (MaineCare members under age 21) | 2020 40.0% | 2021 46.0% | N/A | _ | N/A | _ | N/A |
| Substance Use | | | | | | | |
| Overdose deaths per 100,000 population | 2019 16.0 | 2023 36.0 | N/A | 2023 43.3 | N/A | 2019 21.5 | N/A |
| Drug-induced deaths per 100,000 population | 2015-2019 22.1 | 2018-2022 36.7 | ! | 2018-2022 55.6 | * | 2019 22.8 | N/A |
| Alcohol-induced deaths per 100,000 population | 2015-2019 13.6 | 2018-2022 17.1 | 0 | 2022 18.6 | N/A | 2019 10.4 | N/A |
| Alcohol-impaired driving deaths per 100,000 population | 2019 10.3* | _ | N/A | 2022 4.5 | N/A | 2022 4.1 | N/A |
| Drug-affected infant reports per 1,000 births | 2018-2019 121.1 | _ | N/A | 2018-2019 73.2 | N/A | _ | N/A |
| Chronic heavy drinking (adults) | 2015-2017 7.1% | 2019-2021 8.9% | 0 | 2019-2021 8.4% | 0 | 2021 6.3% | N/A |
| Past-30-day alcohol use (high school students) | 2019 23.9% | 2023 20.5% | 0 | 2023 20.5% | 0 | _ | N/A |
| Past-30-day alcohol use (middle school students) | 2019 5.2% | 2023 7.4% | 0 | 2023 4.8% | 0 | _ | N/A |
| Binge drinking (adults) | 2015-2017 14.8% | 2019-2021 14.3% | 0 | 2019-2021 15.5% | 0 | 2021 15.4% | N/A |
| Binge drinking (high school students) | 2019 8.1% | 2023 9.6% | 0 | 2023 9.6% | 0 | _ | N/A |

| | Ox | ford County | | Benchmarks | | | |
|---------------------------------|-------------|-------------|---------------------|---------------|----------|-----------|--------|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Substance Use (continued) | | | | | | | |
| Binge drinking (middle | 2019 | 2023 | 0 | 2023 | 0 | | NI/A |
| school students) | 1.4% | 2.6% | O | 1.8% | O | _ | N/A |
| Past-30-day marijuana use | 2017 | 2021 | 0 | 2021 | 0 | | N1 / A |
| (adults) | 17.8% | 23.8% | 0 | 21.3% | 0 | _ | N/A |
| Past-30-day marijuana use | 2019 | 2023 | NI/A | 2023 | NI/A | | NI / A |
| (high school students) | 24.1% | 20.5% | N/A | 18.7% | N/A | _ | N/A |
| Past-30-day marijuana use | 2019 | 2023 | - | 2023 | - 1 | | NI/A |
| (middle school students) | 5.1% | 9.3% | ! | 5.0% | ! | _ | N/A |
| Past-30-day misuse of | 2011-2021 | | N/A | 2011-2021 | N/A | | NI/A |
| prescription drugs (adults) | 0.9% | _ | IN/A | 0.9% | N/A | _ | N/A |
| Past-30-day misuse of | 2019 | 2023 | | 2022 | | | |
| prescription drugs (high | 5.5% | 4.4% O | 2023 5.2% | 0 | _ | N/A | |
| school students) | 3.3/0 | | <u> </u> | J.Z/0 | | | |
| Past-30-day misuse of | 2019 | 2023 | | 2023 | | | |
| prescription drugs (middle | 2.4% | 6.4% | 0 | 4.9% | 0 | _ | N/A |
| school students) | 2.4/0 | U.4/0 | <u> </u> | 4. 3/0 | | | |
| Lifetime illicit drug use (high | _ | 2024 | NI/A | 2024 | 0 | | N/A |
| school students) | _ | 3.0% | N/A | 3.6% | 0 | _ | N/A |
| Narcotic doses dispensed | 2020 | | | 2020 | | | |
| per capita by retail | 14.6 | _ | N/A | 12.1 | N/A | _ | N/A |
| pharmacies | 14.0 | | | 12.1 | | | |
| Adults who needed | | | | 2021-2022 | | 2021-2022 | |
| treatment for substance use | _ | _ | N/A | 20.7% | N/A | 20.1% | N/A |
| in the past year | | | | 20.770 | | 20.170 | |
| Adults who needed and did | | | | 2021-2022 | | 2021-2022 | |
| not receive treatment for | _ | _ | N/A | 70.6% | N/A | 76.9% | N/A |
| substance use | | | | 70.070 | | 70.570 | |
| Overdose emergency | 2020 | 2023 | | 2023 | | | |
| medical service responses | 59.7 | 87.6 | N/A | 96.1 | N/A | _ | N/A |
| per 10,000 population | 33.7 | 07.0 | | 30.1 | | | |
| Opiate poisoning | 2016-2018 | | | 2016-2018 | | | |
| emergency department rate | 7.8 | _ | N/A | 9.9 | N/A | _ | N/A |
| per 10,000 population | 7.0 | | | 5.5 | | | |
| Opiate poisoning | 2016-2018 | 2019-2021 | | 2021 | | | |
| hospitalizations per 10,000 | 0.7 | 0.8* | 0 | 1.1 | 0 | – | N/A |
| population (ICD-10) | U. | | | | | | |
| Tobacco Use | | | | | | | |
| Current cigarette smoking | 2017 | 2021 | 0 | 2021 | 0 | 2021 | 0 |
| (adults) | 21.1% | 20.5% | | 15.6% | <u> </u> | 14.4% |) |
| Past-30-day cigarette | 2019 | 2023 | | 2023 | | | |
| smoking (high school | 9.4% | 6.2% | 0 | 5.6% | 0 | _ | N/A |
| students) | 3.470 | J.E/J | | 5.070 | | | |
| Past-30-day cigarette | 2019 | 2023 | | 2023 | | | |
| smoking (middle school | 1.7% | 3.8% | ! | 2.0% | 0 | - | N/A |
| students) | 1.7/0 | 3.070 | | 2.0/0 | | | |
| Past-30-day tobacco use | 2019 | 2023 | | 2023 | _ | | h:/a |
| (high school students) | 13.9% | 7.7% | 0 | 7.6% | 0 | _ | N/A |
| , 5 | | | | | | | |

| | 0) | ford County | | Benchmarks | | | |
|---|---------------------------|---------------------------|--------|--------------------------|-----|---------------------|-----|
| Indicator | Point 1 | Point 2 | Change | Maine | +/- | U.S. | +/- |
| Tobacco Use (continued) | | | | | | | |
| Past-30-day tobacco use (middle school students) | 2019 3.5% | 2023 4.5% | 0 | 2023 3.1% | 0 | _ | N/A |
| Current E-cigarette use (adults) | 2015-2017 5.0%* | 2019-2021 3.9%* | 0 | 2019-2021 5.3% | 0 | 2021 6.6% | N/A |
| Past-30-day use of vaping products (high school students) | 2019 31.0% | 2023 18.3% | * | 2023 15.6% | 0 | _ | N/A |
| Past-30-day use of vaping products (middle school students) | 2019 9.4% | 2023 10.7% | 0 | 2023 5.7% | ! | _ | N/A |
| Environmental tobacco smoke exposure (high school students) | 2019 33.6% | 2023 26.7% | 0 | 2023 19.3% | ! | _ | N/A |
| Environmental tobacco smoke exposure (middle school students) | 2019 28.9% | 2023 31.3% | 0 | 2023 19.9% | | _ | N/A |
| Maine QuitLink users | 2020 2.1% | 2024 2.2% | N/A | 2023 2.2% | N/A | _ | N/A |

Languages Spoken by Language Category, 2018-2022

The following chart compares the languages spoken for the state of Maine and Oxford County.

| Language | Maine | Oxford County |
|-------------------------------------|-------|---------------|
| English only | 94.1% | 97.9% |
| Other Indo-European language | 3.6% | 1.5% |
| Spanish | 0.9% | 0.3% |
| Asian and Pacific Islander language | 0.7% | 0.2% |
| Other languages | 0.7% | 0.1% |

Gay, Lesbian and Bisexual (High School Students), 2023

The following chart compares the percentage of gay, lesbian and bisexual (high school students) for the state of Maine and Oxford County.

| Sexual Orientations | Maine | Oxford County |
|-----------------------------|-------|---------------|
| Straight or heterosexual | 72.5% | 73.1% |
| Bisexual | 12.7% | 14.8% |
| Something else | 5.1% | 7.0% |
| Gay or lesbian | 4.0% | 4.3% |
| Not sure | 4.0% | 6.1% |
| Did not understand question | 1.8% | 3.0% |

Percentage of Population with Disability by Type, 2018-2022

The following chart compares the population with disability by type for the state of Maine and Oxford County.

| Disability Type | Maine | Oxford County |
|-------------------------------|-------|---------------|
| Ambulatory difficulty | 7.2% | 8.6% |
| Cognitive difficulty | 7.0% | 8.2% |
| Independent living difficulty | 6.3% | 8.3% |
| Hearing difficulty | 5.0% | 5.4% |
| Self-care difficulty | 2.5% | 3.5% |
| Vision difficulty | 2.1% | 2.2% |

Children with Disabilities by Type, 2018-2022

The following chart compares children with disabilities by type for the state of Maine and Oxford County.

| Disability Type | Maine | Oxford County |
|-----------------------|-------|---------------|
| Cognitive difficulty | 6.5% | 9.7% |
| Self-care difficulty | 1.5% | 2.3% |
| Hearing difficulty | 0.6% | 0.5% |
| Ambulatory difficulty | 0.6% | 0.6% |
| Vision difficulty | 0.5% | 0.9% |

Percentage of Households by Income Groups, 2018-2022

The following chart compares percentage of households by income groups for the state of Maine and Oxford County.

| Income | Maine | Oxford County |
|------------------------|-------|---------------|
| Less than \$10,000 | 4.2% | 5.1% |
| \$10,000 to \$14,999 | 4.5% | 5.1% |
| \$15,000 to \$24,999 | 8.0% | 11.2% |
| \$25,000 to \$34,999 | 8.2% | 10.0% |
| \$35,000 to \$49,999 | 11.9% | 14.8% |
| \$50,000 to \$74,999 | 17.3% | 17.2% |
| \$75,000 to \$99,999 | 13.5% | 13.1% |
| \$100,000 to \$149,999 | 17.2% | 14.6% |
| \$150,000 to \$199,999 | 7.8% | 5.4% |
| \$200,000 or more | 7.4% | 3.6% |

Employment by Industry and Occupation, 2018-2022

The following chart compares employment by industry and occupation for the state of Maine and Oxford County.

| Industry/Trade | Maine | Oxford County |
|---|-------|---------------|
| Education services, health care, and social assistance | 27.4% | 25.4% |
| Retail trade | 12.9% | 14.4% |
| Professional, scientific, | | |
| administrative, and management | 9.6% | 5.8% |
| services | | |
| Manufacturing | 9.0% | 13.3% |
| Arts, entertainment, recreation, accommodation, and food services | 7.8% | 8.7% |
| Construction | 7.6% | 10.6% |
| Finance, insurance, real estate, rental, and leasing | 6.4% | 5.0% |
| Other services, except public administration | 4.5% | 4.3% |
| Public administration | 4.4% | 2.8% |
| Transportation, warehousing, and utilities | 4.3% | 3.9% |
| Agriculture, forestry, fishing, hunting, and mining | 2.5% | 3.6% |
| Wholesale trade | 1.9% | 1.3% |
| Information | 1.6% | 0.9% |

Households by Type of Head of Household, 2018-2022

The following chart compares households by type of head of household for the state of Maine and Oxford County.

| Household Type | Maine | Oxford County |
|---|-------|---------------|
| Married-couple household | 47.9% | 50.0% |
| Female household, no spouse/partner present | 25.3% | 23.1% |
| Male household, no spouse/partner present | 17.7% | 17.0% |
| Cohabiting couple household | 9.1% | 9.9% |

Number of Vehicles for Household Owners and Renters, 2018-2022

The following chart compares the number of vehicles for household owners and renters for the state of Maine and Oxford County.

| Number of Vehicles by Household | Maine | Oxford County |
|---------------------------------|-------|---------------|
| 2 vehicles available | 40.1% | 39.2% |
| 1 vehicle available | 33.3% | 31.4% |
| 3 or more vehicles available | 19.8% | 23.8% |
| No vehicles available | 6.9% | 5.6% |

Commute by Transportation Type, 2018-2022

The following chart compares commute by transportation type for the state of Maine and Oxford County.

| Commute Type | Maine | Oxford County |
|---|-------|---------------|
| Car, truck, or van – drove alone | 73.5% | 77.5% |
| Worked from home | 12.3% | 10.4% |
| Car, truck, or van – carpooled | 8.7% | 8.0% |
| Walked | 3.6% | 2.8% |
| Other means | 1.4% | 1.2% |
| Public transportation (excluding taxicab) | 0.4% | 0.1% |

Age of Housing Stock, 2018-2022

The following chart compares the age of housing stock for the state of Maine and Oxford County.

| Age of Housing Stock | Maine | Oxford County |
|-----------------------|-------|---------------|
| Built 1949 or earlier | 28.0% | 26.1% |
| Built 1950 to 1979 | 28.0% | 28.3% |
| Built 1980 to 2009 | 37.6% | 40.5% |
| Built 2010 or later | 6.4% | 5.1% |

Heating Fuel Type, 2018-2022

The following chart compares heating fuel type for the state of Maine and Oxford County.

| Heating Fuel Type | Maine | Oxford County |
|--------------------------|-------|---------------|
| Fuel oil, kerosene, etc. | 59.3% | 61.0% |
| Bottled, tank, or LP gas | 12.4% | 11.4% |
| Electricity | 9.0% | 5.7% |
| Wood | 8.8% | 18.8% |
| Utility gas | 8.0% | 0.6% |
| Other fuel | 1.7% | 1.8% |
| No fuel used | 0.4% | 0.3% |
| Solar energy | 0.3% | 0.1% |
| Coal or coke | 0.2% | 0.3% |

Households that Spend More than 50% Income toward Housing, 2018-2022

The following table compares the household categories of people that spend more than 50% of their income on housing for the state of Maine and Oxford County.

| Туре | Maine | Oxford County |
|----------------------------|--------|---------------|
| Household with mortgage | 25,779 | 1,199 |
| Household without mortgage | 10,660 | 591 |
| Renters | 28,951 | 891 |

Leading Causes of Death, 2022

The following chart compares the leading causes of death for the state of Maine and Oxford County.

| Cause of Death | Maine | Oxford County |
|---|-------|---------------|
| Cancer | 25.9% | 26.1% |
| Heart disease | 27.2% | 25.3% |
| Accidents | 10.5% | 10.0% |
| Chronic lower respiratory disease | 6.8% | 7.4% |
| COVID 19 | 6.0% | 6.6% |
| Diabetes | 4.6% | 5.5% |
| Cerebrovascular disease | 4.8% | 4.0% |
| Alzheimer's disease | 4.1% | 3.4% |
| Chronic Liver disease and cirrhosis | 2.3% | 3.2% |
| Suicide | 2.0% | 3.1% |
| Parkinson's disease | 1.7% | 2.1% |
| Influenza & pneumonia | 2.1% | 1.9% |
| Nephritis, nephrotic syndrome and nephrosis | 1.8% | 1.3% |

Acknowledgements

Funding for the Maine Shared Community Health Needs Assessment (Maine Shared CHNA) is provided by the partnering healthcare systems and the Maine Community Action Partnership with support from the Maine Center for Disease Control and Prevention (Maine CDC). The Maine Shared CHNA is also supported in part by the U.S. Centers for Disease Control and Prevention (U.S. CDC) of the U.S. Department of Health and Human Services (U.S. DHHS) as part of the Preventive Health and Health Services Block Grant (award 1 NB01TO000018). The contents are those of the authors and do not necessarily represent the official views of, nor an endorsement by, the U.S. CDC/DHHS, or the U.S. Government.

We are grateful for the time, expertise, and commitment of numerous community partners and stakeholder groups, including: the Metrics Committee, the Community Engagement Committee, Local Planning Teams, and several Ad-Hoc Committees.

Significant analysis was conducted by epidemiologists at the Maine CDC and the University of Southern Maine's Muskie School of Public Service. Crescendo Consulting Group provided quantitative and qualitative expertise, design and production support, and analysis. A special thank you to the Children's Oral Health Network for its data contribution, the Maine Integrated Youth Health Survey for use of its LGBTQ+ Student Health fact sheet, and for volunteers from the Aroostook County Action Agency, Central Maine Healthcare, Northern Light Health, MaineHealth and the Roux Institute's Data Analytics for Social Good student group, who helped with our data quality control and assurance process.

Appendix A: New and Retired Indicators

| New Indicator |
|---|
| |
| Transgender adults |
| Foreign born |
| Limited English Proficiency |
| Percentage of families living below the federal poverty line |
| School-aged children living below 185% of poverty |
| Households living above the federal poverty line but below the Asset Limited Income Constrained |
| Employed threshold of financial survival |
| Households living above the Asset Limited Income Constrained Employed threshold of financial survival |
| Asset poverty (insufficient net worth to live without income at or above the poverty level for three |
| months) |
| Households receiving emergency rental assistance |
| Median gross rent |
| Median housing value |
| Total housing units |
| Housing units that are vacant and either for rent or for sale |
| Housing occupancy |
| Owner-occupied housing |
| Owner-occupied households without a mortgage |
| Age of housing stock |
| Households with no phone services |
| Total households with a broadband subscription |
| Total households with a computer |
| Children served in publicly funded state and local preschools |
| Head Start eligible infants, toddlers, preschool age children |
| Children served by Child Development Services |
| Children served by Maine Home Visiting |
| Families served by Maine Home Visiting |
| Child care centers |
| Family child care programs |
| Head Start teachers hourly wage average |
| Head Start teacher assistants hourly wage average |
| Children in foster care per 1,000 children |
| Child preventative visits |
| Alcohol-associated new cancer cases per 100,000 population |
| Adequate prenatal care |
| Head Start eligible expectant mothers |
| Children with lead poisoning (estimated) |
| Age-adjusted rates of COVID death per 100,000/year |
| COVID hospital admissions per 100,000/year |
| Electronic bullying (high school students) |
| Electronic bullying (middle school students) |
| Lifetime illicit drug use (high school students) |

| Adults who needed treatment for substance use in the past year |
|---|
| Adults who needed and did not receive treatment for substance use |
| Percent of population with disability by type |
| Children with disabilities by type |
| Languages spoken by language category |
| Language spoken by specific language |
| Percentage of households by income groups |
| Number of vehicles for household owners and renters |
| Commute by transportation type |
| Employment by industry and occupation |
| Heating fuel type |
| Households by type of head of household |
| Ratio of population to mental health providers |

| Retired/Paused Indicator | Reason |
|--|---|
| Children with a medical home | This indicator is only available at the state level and given the complexity of its definition does not provide an actionable outcome. |
| School children eligible for free and reduced meals | Because Maine now provides school meals to all children, this data is no longer available from Maine Department of Education. It has been replaced with "School-aged children with family income below 185% of poverty" from the US Census. |
| Hospital readmissions within 30 days of discharge (medical) | This measure has not been updated by the original source. Hospitals track this independently at a systems level. |
| Hospital readmissions within 30 days of discharge (surgical) | This measure has not been updated by the original source. Hospitals track this independently at a systems level. |
| Pre-diabetes | The Metrics Committee determined this indicator is often underreported and underdiagnosed, and therefore has limited value. |
| Foot exam annually (adults with diabetes) | Behavioral Risk Factor Surveillance System (BRFSS) has changed their methodology for collecting this indicator in 2022. |
| Births for which the mother received more than 80% of expected prenatal visits | This has been replaced with "Adequate prenatal care" to align with the Adequacy of Prenatal Care Utilization Index. |
| Homes with private wells tested for arsenic | Household estimates are no longer being collected. This has been replaced with "Adults living in households with private wells tested for arsenic." |

| Harris Lade of Consider | The selection of the se |
|--|--|
| Homes tested for radon | Household estimates are no longer being |
| | collected. This has been replaced with "Adults |
| | living in households tested for radon." |
| Children with confirmed elevated blood lead | Replaced with "Children with lead poisoning" to |
| levels | mirror definitions in the Maine Environmental |
| | Tracking Network. |
| Children with unconfirmed elevated blood lead | Replaced with "Children with lead poisoning" to |
| levels | mirror definitions in the Maine Environmental |
| | Tracking Network. |
| Immunization exemptions among kindergarteners | Maine State Law no longer allows for |
| for philosophical reasons | immunization exemptions due to philosophical |
| | reasons. |
| 13-year-olds with up-to-date MCV4 immunization | Immunizations historically tracked by where |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | children receive their immunizations and not |
| | where they live, thus not providing data helpful |
| | for Counties. New data based on the child's |
| | residence is expected in 2025. |
| 13-year-olds with up-to-date Tdap immunization | Immunizations historically tracked by where |
| 15 year olds with up to date rdap illillianization | children receive their immunizations and not |
| | where they live, thus not providing data helpful |
| | for Counties. New data based on the child's |
| | |
| 40 11 11 1 1 1 1 1 1 1 1 1 1 1 1 | residence is expected in 2025. |
| 13-year-olds with up-to-date HPV immunization | Immunizations historically tracked by where |
| | children receive their immunizations and not |
| | where they live, thus not providing data helpful |
| | for Counties. New data based on the child's |
| | residence is expected in 2025. |
| Two-year-olds up-to-date with recommended | Immunizations historically tracked by where |
| immunizations | children receive their immunizations and not |
| | where they live, thus not providing data helpful |
| | for Counties. New data based on the child's |
| | residence is expected in 2025. |
| Adults with mental health disorders who receive | The National Survey on Drug Use and Health is |
| treatment | not releasing this data. |
| 12–17-year-olds with major depressive disorder | The National Survey on Drug Use and Health is |
| who receive treatment | not releasing this data. |
| Adults who needed and did not receive treatment | The National Survey on Drug Use and Health is |
| for illicit drug use | not releasing this data. |
| Adults who needed and did not receive treatment | The National Survey on Drug Use and Health is |
| of alcohol use | not releasing this data. |
| Drank alcohol during pregnancy | Further analysis of county-level data and |
| | consultation with the US CDC have determined |
| | that the survey sampling frame does not provide |
| | for valid county-level estimates. |
| Depression during pregnancy | Further analysis of county-level data and |
| Depression during pregnancy | consultation with the US CDC have determined |
| | consultation with the OS CDC have determined |

| | that the survey sampling frame does not provide for valid county-level estimates. |
|--|---|
| Post-partum depression | Further analysis of county-level data and |
| | consultation with the US CDC have determined |
| | that the survey sampling frame does not provide |
| | for valid county-level estimates. |
| Hospitalization and emergency department rates | Due to delays in the final Maine Health Data |
| | Organization's Hospital Inpatient and Outpatient |
| | Data Sets for 2022 and 2023, the data profiles |
| | include data only through 2021 for |
| | hospitalizations, which is presented as the most |
| | recent data available for comparison. The most |
| | recent analysis for emergency department rates |
| | is for 2019, and these are presented as baseline |
| | data ("Point 1"), with no data provided for more |
| | up-to-date comparisons ("Point 2"). The profiles |
| | will be amended in April 2025 with updated |
| | hospitalization and emergency department data. |

Appendix B: Data Sources and Definitions

| Indicator | Data Source | Definition |
|--|---|--|
| Demographics | | |
| Population (percent of total Maine population) | US Census Bureau, American Community Survey Tables DP05 (sex, age, race, and ethnicity), S1501 (education), S2001 (income), S2701 (insurance status). | Percentage of the total Maine population who reside in the specified geographic area (e.g. Maine or a Maine County) or belong to a specific population group. |
| Veterans | US Census Bureau, American Community Survey Table S2101. | Percentage of civilians, age 18 and older, who are veterans. |
| Gay, lesbian and bisexual (adults) Transgender youth | Behavioral Risk Factor Surveillance System Maine Integrated Youth Health Survey | Percentage of adults who identify as gay or lesbian, or bisexual. Data collected every year, except 2016. Percentage of high school students who identify as transgender. Data collected in odd numbered years. |
| Transgender adults | Behavioral Risk Factor Surveillance System | Percentage of adults who identify as transgender or non-binary. Data collected every year beginning in 2017. |
| Persons with a disability | US Census Bureau, American Community Survey ACS Tables S1810 (geography), B18135 (health insurance), S1810 (sex, race, and age), S1811 (income and education). | Percentage of residents who report having any one of the six disability types: hearing difficulty, vision difficulty, cognitive difficulty, ambulatory difficulty, self-care difficulty, or independent living difficulty. |
| Foreign born | US Census Bureau, American Community Survey | Percentage of population born outside of the United States. |
| Limited English Proficiency | US Census Bureau, American Community Survey | Percentage of people who speak English "less than very well" by county. |
| Social Drivers of Hea | alth | |
| People living in rural areas | Data, Research and Vital Statistics town-level population file | Percentage of residents in the specified geographic area who live in rural areas, based on non-metropolitan ZIP codes, as defined by Rural Urban Commuting Area Codes. |
| Individuals living in poverty | US Census Bureau, American Community Survey Table S1701. | Percentage of individuals who live in households where the total income of the householder's family is below the established federal poverty level. |
| Percentage of families living below the federal poverty level | US Census Bureau, American Community Survey. Table DP03 | Percentage of households where the total income of the householder's family is below the established federal poverty level. |
| Children living in poverty | US Census Bureau, Small Area Income and Poverty Estimates. Table DP03 | Percentage of children, ages 0-17 years, who live in households where the total income of the householder's family is below the established federal poverty level. |

| Indicator | Data Source | Definition |
|---|--|---|
| Social Drivers of Hea | olth (continued) | |
| School-aged children living below 185% of poverty | Kids Count | Percentage of school aged children, ages 5-17 years, who live in households where the total income of the householder's family is less than 185% of the established federal poverty level. |
| Households living above the federal poverty level but below the Asset Limited Income Constrained Employed threshold of financial survival | United for ALICE | Percentage of households living above the federal poverty level but below the ALICE (Asset Limited, Income Constrained, Employed) threshold of financial survival. The ALICE Household Survival Budget is the bare minimum cost of household basics necessary to live and work in the current economy. These basic budget items include housing, child care, food, transportation, health care, and technology, plus taxes and a contingency fund (miscellaneous) equal to 10% of the household budget. |
| Households living above the Asset Limited Income Constrained Employed threshold of financial survival | United for ALICE | Percentage of households living above the ALICE (Asset Limited. Income Constrained, Employed) threshold of financial survival. The ALICE Household Survival Budget is the bare minimum cost of household basics necessary to live and work in the current economy. These basic budget items include housing, child care, food, transportation, health care, and technology, plus taxes and a contingency fund (miscellaneous) equal to 10% of the household budget. |
| Asset Poverty (insufficient net worth to live without income at or above the poverty level for three months) | Prosperity Now Scorecard | Percentage of households without sufficient net worth to live without income at or above at the poverty level for three months. |
| Median household income | US Census Bureau, American Community Survey Table S1903. | Dollar amount that divides all households in the specified geographic area into two equal groups: half of the households having more income and the other half having less income. Median income is in the past 12 months in 2020 inflation-adjusted dollars. |
| Unemployment | US Bureau of Labor Statistics | Percentage of non-institutionalized civilians in the labor force who were not employed. Reported monthly and rates are averaged for the full year. State data is adjusted for seasonality. |
| High school student graduation | Maine Dept. of Education | Percentage of high school students who graduate with a regular diploma four years after starting ninth grade. Graduation rates are determined for students in all public schools and in all private schools that have 60% or more publicly funded students. Excludes students who never start ninth grade or transfer to a private or an out-of-state school. |
| Associate's degree or higher among those age 25 and older | US Census Bureau, American Community Survey. Table S1501 | Percentage of residents, age 25 and older, who have an associate's degree or higher. |

| Indicator | Data Source | Definition |
|---|---|--|
| Social Drivers of Health (continued) | | |
| Households receiving emergency rental assistance | MaineHousing Emergency Rental Assistance Program | Number of unique households that utilized the Emergency Rental Assistant (ERA) Program. |
| Median gross rent | US Census Bureau, American Community Survey. Table DP04 | Dollar amount that divides households who rent into two equal groups: half of the households having higher rent and the other half having lower rent. Values are gross rent: the amount of rent stipulated in a rental lease. |
| Median housing value | US Census Bureau, American Community Survey. Table DP04 | Dollar amount that divides housing properties into two equal groups: half of the properties having higher values and the other half having lower values. A housing property is defined as a house and lot, a mobile home and lot (if lot is owned by the mobile homeowner), or a condominium unit. The value is based on the owner's estimate of how much the property would sell for if it were for sale. |
| Total housing units | US Census Bureau, American Community Survey. Table DP04 | Estimate of the number of housing units. |
| Housing units that are vacant and either for rent or for sale | MaineHousing: Housing Characteristics of the State of Maine, Counties and Towns | Percentage of housing units that are vacant and either for rent or for sale. |
| Housing occupancy | US Census Bureau, American Community Survey. Table DP04 | Percentage of housing units that are occupied, including both owners and renters. A housing unit is occupied if a person or group of persons is living in it at the time of the interview or if the occupants are only temporarily absent, as for example on vacation. |
| Owner-occupied housing | US Census Bureau, American Community Survey. Table DP04 | The percentage of occupied housing units that are occupied by the owner of the unit. |
| Owner-occupied households without mortgage | US Census Bureau, American Community Survey | Percentage of owner-occupied housing units that do not have a mortgage. |
| 65+ living alone | US Census Bureau, American Community Survey. Table B09021 | Percentage of all people ages 65 years or older who are living alone. |
| Households with no phone services | US Census Bureau, American Community Survey. Table DP04 | Percentage of households that do not have access to any type of phone service, including cell phones, land lines, or other phone devices. |
| Households with a broadband subscription | US Census Bureau, American Community Survey | Percentage of households with a broad band subscription. |
| Households with a computer | US Census Bureau, American Community Survey | Percentage of households with a computer. |

| Indicator | Data Source | Definition | | |
|---|---|---|--|--|
| Social Drivers of Hea | Social Drivers of Health (continued) | | | |
| Children experiencing homelessness (pre-k to high school) | Maine Dept. of Education | McKinney Vento Act: a person under the age of 21 who lacks having a fixed, regular and adequate nighttime residence. This includes youth living in temporary settings with others due to economic hardship – motels, campgrounds emergency shelters, and those awaiting foster care placement or left in hospitals. State data represents a total count of all county data with the exception of Washington County which is suppressed. | | |
| Housing insecure (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who report they usually do not sleep in their parent's or guardian's home. | | |
| No vehicle for the household | US Census Bureau, American Community Survey. Table DP04 | Among occupied housing units, the percentage of households without a motor vehicle. Immobile vehicles, motorcycles, and other recreational vehicles are excluded. Note the previous data were based on employed individuals who lived in households without a vehicle. | | |
| Commute of greater than 30 minutes driving alone | US Census Bureau, American Community Survey. Table B08134 | Among workers ages 16 and older, the percentage who commute longer than 30 minutes to work in a car, truck or van alone (excludes those that carpool or take public transportation). | | |
| Children served in publicly funded state and local preschools | Kids Count | Number of public preschools by county. The number and percent of children aged 4 years enrolled in a program for children aged 4 years offered through a school administrative unit. Children must be four years of age by October 15 of the entering school year to be eligible for a public preschool program, also known as pre-kindergarten. Data marked as 2022 is for students enrolled as of October 2022. | | |
| Head Start eligible infants, toddlers, preschool age children | US Census Bureau, American Community Survey | Number of children under 6 years who live in households where the total income of the householder's family has been below the established federal poverty level in the past 12 months. | | |
| Children served by Child Development Services | Maine Dept. Of Education | Number of infants and toddlers with Individual Family Services Plans (IFSPs) who receive the early intervention services on their IFSPs in a timely manner. Data not available at the county level. | | |
| Children served by Maine Home Visiting | Maine Families Home Visiting/Maine Children's Trust | Number of children served by Maine Home Visiting. | | |
| Caregivers served by Maine Home Visiting | Maine Families Home Visiting | Number of caregivers (including parents and legal guardians) served by Maine Home Visiting – a family with one caregiver and multiple children served would be counted as one, a family with two caregivers would be counted as two. Data not available at the county level. | | |

| Indicator | Data Source | Definition |
|--|--|--|
| Social Drivers of Health (continued) | | |
| Child care centers | OCFS Dashboard, Early Childhood Education Data, High Quality Care, Rising Stars program | Number of licensed child care centers (child care centers, nursery schools, or small child care facility, serving 3 or more children in a facility other than the operator's residence, or any program serving any number of children under 5 located in a private school or a program that contracts with one or more Child Development Services Systems sites to provide services for any number of children. |
| Family child care programs | OCFS Dashboard, Early Childhood Education Data, High Quality Care, Rising Stars program | Number of licensed family child care providers (a person who provides child care in that person's home on a regular basis, for consideration, for 3 to 12 children under 13 years who are not the children of the provider or who are not residing in the provider's home). |
| Head Start teachers hourly wage average | Head Start (via Urban Institute) | Hourly wage (derived from adjusted average annual salaries) for center-based Head Start lead classroom teachers. Data not available at the county level. |
| Head Start teacher assistants hourly wage average | Head Start (via Urban Institute) | Hourly wage (derived from adjusted average annual salaries) for center-based Head Start assistant teachers. Data not available at the county level. |
| Adverse childhood experiences (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who report at least 4 out of 9 adverse childhood experiences. |
| Children in foster care per 1,000 children | DHHS, Children in Foster Care ages 0-17 | The rate per 1,000 children in State custody, based on the county where they lived immediately prior to being placed into State custody. |
| General Health State | us | |
| Fair or poor health (self-rated) | Behavioral Risk Factor Surveillance System | Percentage of adults who rate their health as fair or poor (vs. excellent, very good or good). |
| 14 or more days lost due to poor physical health | Behavioral Risk Factor Surveillance System | Percentage of adults whose physical health was not good during 14 or more out of the past 30 days. |
| 14 or more days lost due to poor mental health | Behavioral Risk Factor Surveillance System | Percentage of adults whose mental health was not good during 14 or more out of the past 30 days. |
| Three or more chronic conditions | Behavioral Risk Factor Surveillance System | Percentage of adults who have been diagnosed with three or more chronic health conditions (chronic conditions including skin cancer, other types of cancer, cardiovascular disease [such as stroke], coronary heart disease [such as heart attack], arthritis, chronic obstructive pulmonary disease (COPD) and asthma, obesity, and chronic kidney disease. Hypertension and high cholesterol are not included in this definition, because data on these conditions are collected biennially whereas the other conditions are collected annually. |

| Indicator | Data Source | Definition |
|---|---|---|
| Overall Mortality | | |
| Life expectancy | National Center for Health Statistics, US CDC | Life expectancy at birth. |
| Overall death rate per 100,000 population | Maine CDC, Data, Research, and Vital Statistics. | Rate per 100,000 people of deaths from any cause. |
| Rate of years of potential life lost per 100,000 population | Maine CDC, Data, Research, and Vital Statistics. | Rate per 100,000 people of the total number of years lost before the age of 75. Years of potential life lost (YPLL) is calculated by subtracting the age at which a person died from 75. The difference in years (of potential life lost) for all those who died before age 75 is added together. |
| Access | | |
| Uninsured | US Census Bureau, American Community Survey Table S2701. | Percentage of people who do not currently have any form of health insurance (either individually purchased, provided through their employer, or provided through the government). |
| MaineCare enrollment (all ages) | MaineCare | Percentage of individuals of all ages who were participating in MaineCare. Figures exclude individuals who were nonresidents or who reside out of state. Data is preliminary. |
| MaineCare enrollment (ages 0- 19) | MaineCare | Percentage of children, ages 0-19 years, who were participating in MaineCare. Figures exclude individuals who were nonresidents or who were out of state. Data is preliminary. |
| Ratio of population to primary care physicians | Health Resources and Services Administration | Ratio of population to practicing primary care physicians. |
| Usual primary care provider (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who have at least one person they think of as their personal doctor or healthcare provider. |
| Primary care visit to any primary care provider in the past year | Behavioral Risk Factor Surveillance System | Percentage of adults who had a regular physical exam (not for a specific injury, illness, or condition) within the last 12 months. |
| Child preventative visits | National Survey on Children's Health | Percentage of children, ages 0-17 years, who had one or more preventive care visits during the past 12 months. A preventive check-up is when a child is not sick or injured, such as an annual or sports physical, or a well-child visit. Data not available at the county level. |
| Cost barriers to health care | Behavioral Risk Factor Surveillance System | Percentage of adults reporting that there was a time during the last 12 months when they needed to see a doctor but could not because of the cost. |
| Health Care Quality | | |
| Ambulatory caresensitive condition hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting | Rate per 10,000 people of hospitalizations with a principal diagnosis of an ambulatory care-sensitive condition. Ambulatory care-sensitive conditions (ACSCs) are conditions for which good outpatient care can potentially prevent the need for hospitalization, or |

| System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | for which early intervention can prevent complications or more severe disease. |
|--|--|
|--|--|

| Indicator | Data Source | Definition |
|--|--|--|
| Heath Care Quality (continued) | | |
| Ambulatory caresensitive condition emergency department rate per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of emergency department discharges with a principal diagnosis of an ambulatory care-sensitive condition. Ambulatory care-sensitive conditions (ACSCs) are conditions for which good outpatient care can potentially prevent the need for hospitalization, or for which early intervention can prevent complications or more severe disease. |
| Cancer | | |
| All cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths from any type of cancer. |
| Colorectal cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths from colon or rectum cancers. |
| Female breast cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 females of deaths from breast cancer. |
| Lung cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths from lung or bronchus cancers. |
| Prostate cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 males of deaths from prostate cancer. |
| Tobacco-related cancer deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths from tobacco- related cancers, excluding lung and bronchus cancers. |
| All cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of any type of cancer. |
| Bladder cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of bladder cancer. |
| Colorectal cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of colon or rectum cancers. |
| Female breast cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 females of new cases of breast cancer. |
| Lung cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of lung or bronchus cancers. |
| Melanoma skin cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of melanoma of the skin. |

| Indicator | Data Source | Definition |
|---|---|--|
| Cancer (continued) | | |
| Prostate cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 males of new cases of prostate cancer. |
| Tobacco-related cancer (excluding lung cancer) new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of tobacco- related cancers, excluding lung and bronchus cancers. |
| HPV-associated cancer new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of Human Papillomavirus (HPV)-associated cancers. |
| Obesity-associated cancer (excluding colon cancer) new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of obesity-associated cancers, excluding colon and rectal cancers. |
| Alcohol-associated new cancer cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of alcoholassociated cancers (lip, oral cavity, pharynx; esophagus; colon and rectum; liver; larynx; and female breast). |
| Colorectal late-stage new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of colon or rectum cancers diagnosed after the cancer has spread beyond the local site. |
| Female breast cancer late-stage new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 females of new cases of breast cancer diagnosed after the cancer has spread beyond the local site. |
| Lung cancer late- stage new cases per 100,000 population | Maine Cancer Registry | Rate per 100,000 people of new cases of lung or bronchus cancers diagnosed after the cancer has spread beyond the local site. |
| Breast cancer screening up-to-date | Behavioral Risk Factor Surveillance System | Percentage of females, ages 50-74 years, who had a mammogram within the past 2 years. Data collected in even numbered years. |
| Cervical cancer screening up-to-date | Behavioral Risk Factor Surveillance System | Percentage of females, ages 21-65 years, with an intact cervix, who have had a pap smear within the past three years. Data collected in even numbered years. |
| Colorectal cancer screening up-to-date | Behavioral Risk Factor Surveillance System | Percentage of adults, ages 50-75 years, who met 2021 U.S. Preventive Screening Task Force (USPSTF) colorectal cancer screening guidelines. Data collected in even numbered years. 2020 and later data cannot be directly compared to earlier data for this measure due to questionnaire and screening guideline changes. |

| Indicator | Data Source | Definition |
|--|---|---|
| Cancer (continued) | | |
| Lung cancer screening rate among eligible adults | Behavioral Risk Factor Surveillance System | Percentage of adults who received a computed tomography (CT) scan to check for lung cancer, reported among smokers aged 55–80 who had at least a 30 pack-year smoking history and who currently smoke or quit less than 15 years ago, meeting the 2013 U.S. Preventive Services Task Force (USPSTF) lung cancer screening criteria. |
| Cardiovascular Disea | ise | |
| Cardiovascular disease deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths with cardiovascular disease as an underlying cause of death. |
| Coronary heart disease deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths with coronary heart disease as an underlying cause of death. |
| Heart attack deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths with heart attack as an underlying cause of death. |
| Stroke deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths with stroke as an underlying cause of death. |
| High blood pressure hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of hypertension. |
| Heart failure hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of heart failure. |
| Heart attack hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of heart attack. |

| Indicator | Data Source | Definition |
|--|--|---|
| Cardiovascular Disea | ase (continued) | |
| Stroke hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of stroke. |
| High blood pressure | Behavioral Risk Factor Surveillance System | Percentage of adults who have ever been told by a healthcare provider that they have high blood pressure. Data collected in odd numbered years. |
| High cholesterol | Behavioral Risk Factor Surveillance System | Percentage of adults who have been told by a healthcare provider that their blood cholesterol is high, among those who have ever had their cholesterol checked. Data collected in odd numbered years. |
| Cholesterol checked in past five years | Behavioral Risk Factor Surveillance System | Percentage of adults who had their blood cholesterol checked within the past 5 years. Data collected in odd numbered years. |
| Diabetes | | |
| Diabetes | Behavioral Risk Factor Surveillance System | Percentage of adults that have ever been told by a doctor or healthcare provider that they have diabetes, excluding diabetes during pregnancy. |
| Diabetes deaths (underlying cause) per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths with diabetes as an underlying cause of death. |
| Diabetes hospitalizations (principal diagnosis) per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of diabetes. |
| Diabetes emergency department rate (principal diagnosis) per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of emergency department discharges with a principal diagnosis of diabetes. |
| A1c test at least twice/year (adults with diabetes) | Behavioral Risk Factor Surveillance System | Percentage of Maine adults with diabetes who had an HbA1c test at least twice within the past 12 months. |

| Indicator | Data Source | Definition |
|---|--|--|
| Diabetes (continued) | | |
| Formal diabetes education (adults with diabetes) Dilated eye exam | Behavioral Risk Factor Surveillance System Behavioral Risk Factor | Percentage of Maine adults with diabetes who have taken a diabetes self-management (DSME) course to manage their diabetes. Percentage of Maine adults with diabetes who had a |
| annually (adults with diabetes) | Surveillance System | dilated eye exam within the past year. |
| Respiratory Health | | |
| Current asthma (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who have been told by a healthcare provider that they had asthma and who still have asthma. |
| Current asthma (youth ages 0-17) Chronic obstructive pulmonary disease (COPD) | Behavioral Risk Factor Surveillance System Behavioral Risk Factor Surveillance System | Percentage of children, ages 0-17 years, who have been diagnosed with asthma and still have asthma. Percentage of adults who have ever been told by a healthcare provider that they have chronic obstructive pulmonary disease (COPD), including emphysema or chronic bronchitis. |
| Chronic lower respiratory disease deaths per 100,000 population | Maine Center for Disease Control and Prevention, Data, Research, and Vital Statistics. | Rate per 100,000 people of deaths due to chronic lower respiratory disease. |
| Asthma emergency department rate per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of emergency department discharges with a principal diagnosis of asthma. |
| Chronic obstructive pulmonary disease hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of chronic obstructive pulmonary disease (COPD). |
| Pneumonia hospitalizations per 10,000 population | Maine Health Data Organization's Hospital Inpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of hospital discharges with a principal diagnosis of pneumonia. |

| Indicator | Data Source | Definition | | |
|---|---|---|--|--|
| Physical Activity, Nu | Physical Activity, Nutrition and Weight | | | |
| Obesity (adults) | Behavioral Risk Factor Surveillance System | Percentage of Maine adults with a body mass index (BMI) ≥ 30.0 kg/m², based on self-reported height and weight. | | |
| Obesity (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex). Data collected in odd numbered years. | | |
| Obesity (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex). Data collected in odd numbered years. | | |
| Overweight (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults with a Body Mass Index between 25.0 and 29.9 kg/m², based on self-reported height and weight. | | |
| Overweight (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who were overweight (at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex). Data collected in odd numbered years. | | |
| Overweight (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who were overweight (at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex). Data collected in odd numbered years. | | |
| Sedentary lifestyle – no leisure-time physical activity in past month (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who did not participate in any physical activities or exercises during the past month, other than during their regular job. | | |
| Met aerobic physical activity recommendations (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who reported doing enough physical activity to meet the aerobic recommendations. Data collected in odd numbered years. | | |
| Met physical activity recommendations (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who were physically active for a total of at least 60 minutes per day on seven of the past seven days. Data collected in odd numbered years. | | |
| Met physical activity recommendations (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who were physically active for a total of at least 60 minutes per day on seven of the past seven days. Data collected in odd numbered years. | | |
| Fewer than two hours combined screen time (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students watching two or fewer hours of combined screen time (including television, video games, and computers) per day on an average school day. Data collected in odd numbered years. | | |
| Fewer than two hours combined screen time (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students watching two or fewer hours of combined screen time (including television, video games, and computers) per day on an average school day. Data collected in odd numbered years. | | |

| Indicator | Data Source | Definition | |
|--|---|---|--|
| Physical Activity, Nu | Physical Activity, Nutrition and Weight (continued) | | |
| Fruit consumption (adults reporting less than one serving per day) | Behavioral Risk Factor Surveillance System | Percentage of adults who consume less than one serving per day of fruits or fruit juice. Data collected in odd numbered years. 2017 data cannot be compared to earlier data for this measure due to questionnaire changes. | |
| Vegetable consumption (adults reporting less than one serving per day) | Behavioral Risk Factor Surveillance System | Percentage of adults who consume less than one serving per day of vegetables. Data collected in odd numbered years. 2017 data cannot be compared to earlier data for this measure due to questionnaire changes. | |
| Fruit and vegetable consumption (high school students reporting five or more a day) | Maine Integrated Youth Health Survey | Percentage of high school students who drank 100% fruit juice, ate fruit and/or ate vegetables five or more times per day during the past seven days. Data collected in odd numbered years. | |
| Fruit and vegetable consumption (middle school students reporting five or more a day) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who drank 100% fruit juice, ate fruit and/or ate vegetables five or more times per day during the past seven days. Data collected in odd numbered years. | |
| Soda/sports drink consumption (high school students reporting one or more a day) | Maine Integrated Youth Health Survey | Percentage of high school students who drank at least one can, bottle, or glass of sugar-sweetened beverages per day during the past week. Data collected in odd numbered years. | |
| Soda/sports drink consumption (middle school students reporting one or more a day) | Maine Integrated Youth Health Survey | Percentage of seventh- or eighth-grade students who drank at least one can, bottle, or glass of sugar-sweetened beverages per day during the past week. Data collected in odd numbered years. | |
| Food insecurity | Feeding America: Map the Meal | Percentage of households that lack access, at times, to enough food for an active, healthy life for all household members, or that have limited or uncertain availability of nutritionally adequate food. | |
| Food insecurity (youth) | Feeding America: Map the Meal | Percentage of households that lack access, at times, to enough food for an active, healthy life for all household members or that have limited or uncertain availability of nutritionally adequate food. Youth refers to children under 18. | |

| Indicator | Data Source | Definition |
|--|---|---|
| Pregnancy and Birth Outcom | mes | |
| Infant deaths per 1,000 live births | Maine CDC. Data, Research, and Vital Statistics. Mortality. Natality. Linked Death and Birth file. | Rate per 1,000 births of babies who died before their first birthday. |
| Low birth weight (<2,500 grams) | Maine CDC. Data, Research, and Vital Statistics. Birth file. | Percentage of babies born with a weight less than 2,500 grams. |
| Pre-term live births | Maine CDC. Data, Research, and Vital Statistics. Birth file. | Percentage of babies born before 37 weeks of gestation. |
| Unintended births | Pregnancy Risk Assessment Monitoring System | Percentage of new mothers who reported that they had not wanted to be pregnant at all or wanted to be pregnant later. |
| Births to 15-19-year olds per 1,000 population | Maine CDC. Data, Research, and Vital Statistics. Birth file. | Rate per 1,000 women, ages 15-19 years, who gave birth. |
| Adequate prenatal care | Maine CDC, Data, Research, and Vital Statistics. Birth file | Percentage of new mothers who received adequate or adequate plus prenatal care, as determined by the Adequacy of Prenatal Care Utilization Index. |
| C-sections among low-risk first births | Maine CDC, Data, Research, and Vital Statistics. Birth file. | Percentage of low-risk first births for which a cesarean section was completed. |
| Smoked during pregnancy | Maine CDC. Data, Research, and Vital Statistics. Birth file. | Percentage of new mothers who smoked cigarettes at any time during pregnancy. |
| Drank alcohol during pregnancy | Pregnancy Risk Assessment Monitoring System | Percentage of new mothers who drank alcohol during the last three months of pregnancy. Data not available at the county level. |
| Depression during pregnancy | Pregnancy Risk Assessment Monitoring System | Number of people who self-report depression during pregnancy. Data not available at the county level. |
| Post-partum depression | Pregnancy Risk Assessment Monitoring System | Number of people who self-report depressive symptoms post-partum. Depressive symptoms are defined as "always" or "often" feeling down, depressed, or hopeless, or having little interest or little pleasure in doing things enjoyed since delivery. Data not available at the county level. |
| Infants who are ever breast fed | Maine CDC. Data, Research, and Vital Statistics. Birth file. | Percentage of babies who were ever fed breast milk. |
| Infants who are exclusively breast fed to 6 months | National Immunization Survey | Percentage of babies who were only fed breast milk (no solids, water, or other liquids) from birth to six months of age. |
| Head Start eligible expectant mothers | CDC Wonder & U.S. Census | The estimated number of expectant mothers who are income eligible for Head Start based on the state fertility rate for Maine and the estimated population of women aged 15-44 living below poverty. Data not available at the county level. |

| Indicator | Data Source | Definition | | |
|---|---|--|--|--|
| Children with Specia | Children with Special Health Care Needs | | | |
| Children with special health care needs | National Survey of Children's Health | Percentage of children, ages 0-17 years, whose parents report that they have a special health care need. Data not available at the county level. To qualify as having special health care needs, the following criteria must be met: a) the child currently experiences a specific consequence (use or need of prescription medication, above average use or need of medical, mental health or educational services, functional limitations compared with others of same age, use or need of specialized therapies (OT, PT, speech, etc.), or treatment or counseling for emotional or developmental problems); b) the consequence is due to a medical or other health condition; and c) the duration or expected duration of the condition is 12 months or longer. | | |
| Developmental screening for MaineCare members | MaineCare | Percentage of MaineCare members at ages 0, 1, 2 and 3 years who received developmental screening using a parent-completed evidence-based screening tool. Data is preliminary. | | |
| Developmental screening for children | National Survey of Children's Health | Percentage of children, ages 9-35 months, who received developmental screening using a parent-completed screening tool. Data not available at the county level. | | |
| Cognitive Health | | | | |
| Cognitive decline | Behavioral Risk Factor Surveillance System | Percentage of adults, ages 45 and over, who experienced confusion or memory loss that happened more often or got worse within the past 12 months. Data collected in 2012 and then in even numbered years from 2016 on. | | |
| Caregiving at least 20 hours per week | Behavioral Risk Factor Surveillance System | Percentage of adults who provided regular care or assistance to a friend or family member who has a health problem or disability for at least 20 hours a week during the past 30 days. Data collected in odd numbered years beginning in 2015. | | |
| Arthritis | | | | |
| Arthritis | Behavioral Risk Factor Surveillance System | Percentage of adults who have been told by a healthcare provider that they have arthritis. | | |

| Indicator | Data Source | Definition | | |
|---|---|---|--|--|
| Environmental Healt | Environmental Health | | | |
| Children with lead poisoning (estimated) | Maine CDC Childhood Lead Poisoning Prevention Unit | The percentage of children with a blood lead level ≥ 5 micrograms per deciliter (μ g/dL) with no prior history of a confirmed blood lead test ≥ 5 μ g/dL. Estimated numbers are calculated from the total number of children with a confirmed blood lead test ≥ 5 μ g/dL plus 38% of children with an unconfirmed test 5-<10 μ g/dL. The conversion factor of 38% is based on the historically observed percent of unconfirmed test results 5-<10 μ g/dL that have a confirmatory test result ≥ 5 μ g/dL. Under Maine law, lead poisoning is defined as having a confirmatory blood lead level at or above 5 μ g/dL. The estimated number of children with lead poisoning is divided by number of children tested for lead poisoning who have no prior history of a confirmed blood lead test ≥ 5 μ g/dL. Five-year values are the sum of the estimated number of children with lead poisoning divided by the sum of children tested. | | |
| Lead screening among children (ages 12-23 months) | Maine CDC Childhood Lead Poisoning Prevention Unit | Percentage of children, ages 12-23 months, who have had their blood tested for elevated blood lead levels. | | |
| Lead screening among children (ages 24-35 months) | Maine CDC Childhood Lead Poisoning Prevention Unit | Percentage of children, ages 24-35 months, who have had their blood tested for elevated blood lead levels. | | |
| Adults living in households with private wells tested for arsenic | Behavioral Risk Factor Surveillance System | Percentage of adults who report that their home has a private well and that the well water has been tested for arsenic. This data is weighted to be representative of individuals living in Maine, not households, in order to measure differences in individual level characteristics. | | |
| Adults living in households tested for radon | Behavioral Risk Factor Surveillance System | Percentage of adults who report that their household air has been tested for the presence of radon gas. This data is weighted to be representative of individuals living in Maine, not households, in order to measure differences in individual level characteristics. | | |

| Indicator | Data Source | Definition |
|---|---|---|
| Immunizations | | |
| Influenza vaccination in the past year (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in their nose during the past 12 months. |
| Pneumococcal pneumonia vaccination (adults ages 65+) | Behavioral Risk Factor Surveillance System | Percentage of adults, ages 65 and older, who have ever had a pneumonia vaccine. |
| Infectious Disease | | |
| Lyme disease new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of lyme disease. |
| Gastrointestinal disease new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of the four most common reportable enteric diseases. |
| Hepatitis A (acute) new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of hepatitis A. |
| Hepatitis B (acute) new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of acute hepatitis B. |
| Hepatitis B (chronic) new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of newly reported cases of chronic hepatitis B. |
| Hepatitis C (acute) new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of acute hepatitis C. |
| Hepatitis C (chronic) new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of newly reported cases of chronic hepatitis C. |
| Pertussis new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of pertussis. |
| Tuberculosis new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of active acute tuberculosis. |
| Chlamydia new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of chlamydia. |
| Gonorrhea new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of gonorrhea. |
| Syphilis new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of new cases of syphilis. |
| HIV new cases per 100,000 population | Maine Infectious Disease Surveillance System | Rate per 100,000 people of newly diagnosed cases of Human Immunodeficiency Virus (HIV). |

| Indicator | Data Source | Definition |
|---|--|---|
| Infectious Disease (c | ontinued) | |
| Age-adjusted rates of COVID death per 100,000/year | CDC Wonder | Age-adjusted rates of deaths where COVID is listed as a factor in the death per 100,000 per year. Data not available at the county level. |
| coviD hospital admissions per 100,000/year | US CDC COVID Data Tracker System | Rate of COVID hospital admissions per 100,000 per year. |
| Unintentional Injury | | |
| Injury deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to injuries. |
| Fall-related deaths (unintentional) per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to unintentional falls. |
| Motor vehicle traffic crash (unintentional) deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to unintentional motor vehicle crashes. |
| Poisoning deaths (unintentional and undetermined intent) per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to poisonings of unintentional and undetermined intent. |
| Work-related deaths (number) | Maine Dept. of Labor | Number of deaths from work-related injuries. Data not available at the county level. |
| Fall-related injury (unintentional) emergency department rate per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of emergency department discharges with a diagnosis of a fall-related injury. |
| Traumatic brain injury emergency department rate per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets as submitted to MHDO per the terms and conditions in 90 590 Chapter 241, Uniform Reporting System for Hospital Inpatient Data Sets and Hospital Outpatient Data Sets. | Rate per 10,000 people of emergency department discharges with a diagnosis of traumatic brain injury. |
| Always wear seatbelt (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who always wear a seatbelt when riding in a vehicle. Data collected in odd numbered years. Data not available at the county level. |

| Indicator | Data Source | Definition |
|---|--|--|
| Unintentional Injury | (continued) | |
| Always wear seatbelt (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who always wear a seatbelt when riding in a vehicle. Data collected in odd numbered years. Data not available at the county level. |
| Intentional Injury | | |
| Suicide deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to suicide. |
| Firearm deaths per 100,000 population | Maine CDC. Data, Research, and Vital Statistics. Mortality Data Files. | Rate per 100,000 people of deaths due to firearms, all intents. |
| Rape/non- consensual sex (among females, lifetime) | Behavioral Risk Factor Surveillance System | Percentage of females who have ever had sex with someone after they said or showed that they didn't want them to or without their consent. |
| Violence by current or former intimate partners in past 12 months (among females) | Behavioral Risk Factor Surveillance System | Percentage of women ages, 18 and older, who report that they have experience violence by a current or former intimate partner in the last year. |
| Intentional self- injury (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who have done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose in the past 6 months. Data collected in odd numbered years. |
| Intentional self- injury (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who have ever done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose. Data collected in odd numbered years. |
| Bullying on school property (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who have been bullied on school property in the past 12 months. Data collected in odd numbered years. |
| Bullying on school property (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who have ever been bullied on school property. Data collected in odd numbered years. |
| Electronic bullying (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who have been bullied electronically, including through texting, Instagram, Facebook, or other social media. Data collected in odd numbered years. |
| Electronic bullying (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who have been bullied electronically in the past 12 months. including through texting, Instagram, Facebook, or other social media. Data collected in odd numbered years. |
| Violent crime rate per 100,000 population | Maine Dept. of Public Safety | Rate per 100,000 people of violent crime offenses. Violent crime is defined as a murder, rape, robbery or aggravated assault. |

| Indicator | Data Source | Definition |
|---|--|---|
| Intentional Injury (continued) | | |
| Nonfatal child maltreatment per 1,000 population Mental Health | Child Maltreatment Report, US Agency for Children Youth and Families | Rate per 1,000 children, under age 18, of child maltreatment that is a threat to a child's health or welfare. Data not available at the county level. |
| | I | |
| Depression, current symptoms (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who have current symptoms of depression based on the Patient Health Questionnaire-2 (PHQ-2). |
| Depression, lifetime | Behavioral Risk Factor Surveillance System | Percentage of adults who have ever been told by a healthcare provider that they have a depressive disorder. |
| Sad/hopeless for two weeks in a row (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities. Data collected in odd numbered years. |
| Sad/hopeless for two weeks in a row (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities. Data collected in odd numbered years. |
| Anxiety, lifetime | Behavioral Risk Factor Surveillance System | Percentage of adults who have ever been told by a healthcare provider that they have an anxiety disorder. |
| Seriously considered suicide (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who seriously considered attempting suicide during the past 12 months. Data collected in odd numbered years. |
| Seriously considered suicide (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who ever seriously considered attempting suicide. Data collected in odd numbered years. |
| Ratio of population to psychiatrists | Health Resources and Services Administration | Ratio of the population to practicing psychiatrists. |
| Ratio of population to mental health providers | Centers for Medicare and Medicaid Services National Provider Identifier Standard | Ratio of the population to practicing mental health providers. |
| Currently receiving outpatient mental health treatment (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who are currently taking medicine or receiving treatment from a doctor for any type of mental health condition or emotional problem. |
| Children with mental health disorders who receive treatment | National Survey of Children's Health | Percentage of children, ages 3-17 years, who have been diagnosed by a healthcare provider with a mental or behavioral condition and who receive treatment. Data not available at the county level. |

| Indicator | Data Source | Definition |
|--|------------------------------------|--|
| Oral Health | | |
| Ratio of population | Health Resources and | Ratio of population to practicing dentists. |
| to practicing dentists | Services Administration | |
| Tooth loss (adults) | Behavioral Risk Factor | Percentage of adults who have lost six or more teeth |
| | Surveillance System | due to tooth decay or gum disease. Data collected in even numbered years. |
| Ambulatory care | Maine Health Data | Rate per 10,000 adults with emergency department |
| sensitive dental | Organization's Hospital | visits for dental-related reasons for which good regular |
| emergency | Inpatient and Outpatient Data Sets | dental care can potentially prevent the need for |
| department rates for adults per 10,000 | Sets | hospitalization, or for which early intervention can prevent complications or more severe disease. Note |
| population | | that included conditions are different for adults than |
| population | | for children. |
| Ambulatory care | Maine Health Data | Rate per 10,000 children with emergency department |
| sensitive dental | Organization's Hospital | visits for dental-related reasons for which good regular |
| emergency | Inpatient and Outpatient Data | dental care can potentially prevent the need for |
| department rates for | Sets | hospitalization, or for which early intervention can |
| children per 10,000 | | prevent complications or more severe disease. Note |
| population | | that included conditions for children are primarily for untreated cavities and are different for adults. |
| Dentist visits in the | Behavioral Risk Factor | Percentage of adults who visited the dentist or a |
| past year (adults) | Surveillance System | dental clinic for any reason in the past 12 months. Data |
| . , , , | • | collected in even numbered years. |
| Insured children with | Maine Health Data | Percentage of children and young adults, under age |
| at least one dental | Organization All Payer Claims | 21, who had MaineCare or commercial insurance for at |
| claim | Database | least 11 out of 12 months with at least one dental |
| Insured children with | Maine Health Data | claim during the year. Percentage of children and young adults, under age |
| at least one | Organization All Payer Claims | 21, who had MaineCare or commercial insurance for at |
| preventative dental | Database | least 11 out of 12 months with at least one claim for a |
| visit | | preventive dental service during the year. |
| Children covered by | Maine Health Data | Percentage of children and young adults, under age |
| dental insurance | Organization All Payer Claims | 21, who had MaineCare or commercial insurance for |
| | Database | dental health care for at least 11 out of 12 months |
| Dontist visits in the | MainoCaro | during the year. |
| Dentist visits in the past year (MaineCare | MaineCare | Percentage of MaineCare members, under age 21, who visited the dentist in the past 12 months. |
| members under age | | who visited the dentist in the past 12 months. |
| 21) | | |
| Substance Use | | |
| Overdose deaths per | Maine Office of the Medical | Rate per 100,000 people of deaths due to drug |
| 100,000 population | Examiner | overdose. |
| Drug-induced deaths | Maine Center for Disease | Rate per 100,000 people of deaths for which drugs are |
| per 100,000 | Control and Prevention, Data, | the underlying cause, including those attributable to |
| population | Research, and Vital Statistics. | acute poisoning by drugs and those from medical conditions resulting from chronic drug use. Deaths due |
| | | to alcohol use are excluded. |
| <u> </u> | <u> </u> | to allottor and are excluded. |

| Indicator | Data Source | Definition |
|---|---|---|
| Substance Use (continued) | | |
| Alcohol-induced deaths per 100,000 population | Maine Center for Disease Control and Prevention, Data, Research, and Vital Statistics. | Rate per 100,000 people of deaths for which alcohol is the underlying cause, including those attributable to acute alcohol poisoning and those from medical conditions resulting from chronic alcohol use. |
| Alcohol-impaired driving deaths per 100,000 population | Maine Dept. of Transportation | Rate per 100,000 population of alcohol-impaired driving fatalities (with a blood alcohol content of .08 or over). |
| Drug-affected infant reports per 1,000 births | Maine Automated Child Welfare Information System (Maine Office of Child and Family Services) | Rate per 1,000 births of infants for which a healthcare provider reported that there was reasonable cause to suspect the baby may be affected by illegal substance abuse or demonstrating withdrawal symptoms resulting from prenatal drug exposure or has a fetal alcohol spectrum disorder. |
| Chronic heavy drinking (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who drink more than two drinks per day for men or more than one drink per day for women. |
| Past-30-day alcohol use (high school students) Past-30-day alcohol | Maine Integrated Youth Health Survey Maine Integrated Youth | Percentage of high school students who had at least one drink of alcohol on at least one day in the past 30 days. Data collected in odd numbered years. Percentage of seventh- and eighth-grade students who |
| use (middle school students) | Health Survey | had at least one drink of alcohol on at least one day in the past 30 days. Data collected in odd numbered years. |
| Binge drinking (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who had five or more drinks on at least one occasion for men or four or more drinks on at least one occasion for women in the past 30 days. |
| Binge drinking (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who had five or more alcoholic drinks on at least one day in the last 30 days. Data collected in odd numbered years. |
| Binge drinking (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who had five or more alcoholic drinks in a row on at least one day in the last 30 days. Data collected in odd numbered years. |
| Past-30-day marijuana use (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who used marijuana during the past 30 days. |
| Past-30-day marijuana use (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who used marijuana at least one time in the last 30 days. Data collected in odd numbered years. |
| Past-30-day marijuana use (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who used marijuana at least one time in the last 30 days. Data collected in odd numbered years. |
| Past-30-day misuse of prescription drugs (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who used prescription drugs that were either not prescribed and/or not used as prescribed to get high at least once within the past 30 days. |

| Indicator | Data Source | Definition | | |
|---|--|--|--|--|
| Substance Use (conti | Substance Use (continued) | | | |
| Past-30-day misuse of prescription drugs (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who used a prescription drug without a doctor's prescription at least one time in the last 30 days. Data collected in odd numbered years. | | |
| Past-30-day misuse of prescription drugs (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who used a prescription drug without a doctor's prescription at least one time in the last 30 days. Data collected in odd numbered years. | | |
| Lifetime illicit drug use (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who have ever used illicit drugs (cocaine, heroin, methamphetamines, ecstasy, and/or synthetic marijuana). Hallucinogenic drugs are excluded. Data collected in odd numbered years. | | |
| Narcotic doses dispensed per capita by retail pharmacies | Prescription Monitoring Program | Narcotic doses dispensed per capita by retail pharmacies. This excludes doses dispensed in other health care settings such as ambulatory health care offices, emergency rooms and hospitals. | | |
| Adults who needed treatment for substance use in the past year | National Survey on Drug Use and Health | Percentage of individuals, ages 18 and older, who needed treatment for substance use during the past 12 months. Data not available at the county level. | | |
| Adults who needed and did not receive treatment for substance use | National Survey on Drug Use and Health | Percentage of individuals, ages 18 and older, who needed but did not receive treatment for substance use during the past 12 months. Data not available at the county level. | | |
| Overdose emergency medical service responses per 10,000 population | Maine Emergency Medical Services | Rate per 10,000 population of overdose emergency medical service responses, including overdoses from drugs, medications, alcohol, and inhalants. | | |
| Opiate poisoning emergency department rate per 10,000 population | Maine Health Data Organization's Hospital Inpatient and Outpatient Data Sets | Rate per 10,000 population of emergency department discharges with a principal diagnosis of opiate poisoning. | | |
| Opiate poisoning hospitalizations per 10,000 population (ICD-10) | Maine Health Data Organization's Hospital Inpatient Data Sets | Rate per 10,000 population of hospital discharges with a principal diagnosis of opiate poisoning. | | |
| Tobacco Use | | | | |
| Current cigarette smoking (adults) | Behavioral Risk Factor Surveillance System | Percentage of adults who have smoked at least 100 cigarettes in their lifetime and currently smoke either every day or some days. | | |
| Past-30-day cigarette smoking (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who smoked cigarettes on at least one day in the past 30 days. Data collected in odd numbered years. | | |
| Past-30-day cigarette smoking (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who smoked cigarettes on at least one day in the past 30 days. Data collected in odd numbered years. | | |

| Indicator | Data Source | Definition | | |
|--|--|--|--|--|
| Tobacco Use (continu | Tobacco Use (continued) | | | |
| Past-30-day tobacco use (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days. Data collected in odd numbered years. | | |
| Past-30-day tobacco use (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days. Data collected in odd numbered years. | | |
| Current E-cigarette use (adults) Past-30-day use of | Behavioral Risk Factor Surveillance System Maine Integrated Youth | Percentage of adults who currently use electronic "vaping" products every day or some days. Percentage of high school students who used an electronic ways are due to the last 20. | | |
| vaping products (high school students) Past-30-day use of vaping products (middle school | Maine Integrated Youth Health Survey | electronic vapor product at least one day in the last 30 days. Data collected in odd numbered years. Percentage of seventh- and eighth-grade students who used an electronic vapor product at least one day in the last 30 days. Data collected in odd numbered | | |
| students) Environmental tobacco smoke exposure (high school students) | Maine Integrated Youth Health Survey | years. Percentage of high school students who were in the same room with someone who was smoking cigarettes at least one day during the past 7 days. Data collected in odd numbered years. | | |
| Environmental tobacco smoke exposure (middle school students) | Maine Integrated Youth Health Survey | Percentage of seventh- and eighth-grade students who were in the same room with someone who was smoking cigarettes at least one day during the past 7 days. Data collected in odd numbered years. | | |
| Maine QuitLink Users | Center for Tobacco Independence | Percentage of current adult smokers who received treatment services (counseling and/or nicotine replacement therapy) from the Maine QuitLink (Formerly the Maine Tobacco Help Line). | | |
| Multivariate Indicators | | | | |
| Languages spoken by language category | US Census Bureau, American Community Survey | Percentage of people, ages 5 years and older, by the primary language spoken at home, by language region. | | |
| Languages spoken by specific language | US Census Bureau, American Community Survey. | Percentage of people, ages 5 years and older, by the primary language spoken at home, by specific language. Data available at the state level only. | | |
| Gay, lesbian and bisexual (high school students) | Maine Integrated Youth Health Survey | Percentage of high school students who identify as gay, lesbian or bisexual. Data collected in odd numbered years. | | |
| Percent of population w/ disability by type | US Census Bureau, American Community Survey, Table DP02 | Percentage of population with a disability by county by type (Hearing Difficulty, Vision Difficulty, Cognitive Difficulty, Ambulatory Difficulty, Self-care Difficulty, and Independent Living Difficulty). | | |
| Children with disabilities by type | US Census Bureau, American Community Survey | Percentage of children with a disability by county by type (Hearing Difficulty, Vision Difficulty, Cognitive Difficulty, Ambulatory Difficulty, and Self-care Difficulty). | | |

| Indicator | Data Source | Definition | |
|---|--|--|--|
| Multivariate Indicators (continued) | | | |
| Percentage of households by income groups | US Census Bureau, American Community Survey | Percentage of households earning various levels of income. Income groups are based on income received on a regular basis before payments for taxes, social security, etc., and does not reflect non-cash benefits. | |
| Employment by Industry and Occupation | US Census Bureau, American Community Survey | Among workers, ages 16 and older, the percentage who work in various industries and occupations. Industry is the type of activity at a person's place of work; occupation is the kind of work a person does to earn a living; and class of worker categorizes people according to the type of ownership of the employing organization. | |
| Households by type of head of household | US Census Bureau, American Community Survey | Percentage of households by type of head of household, including married or cohabitating couples and single heads of households. | |
| Number of vehicles for household owners and renters | US Census Bureau, American Community Survey | Vehicle ownership per household is the total number of vehicles divided by the total number of households. Immobile vehicles, motorcycles, and other recreational vehicles are excluded. | |
| Commute by transportation type | US Census Bureau, American Community Survey | Among workers, ages 16 and older, the percentage who commute to work using various modes of transportation, including air, rail, water, road and pipeline. | |
| Age of housing stock | US Census Bureau, American Community Survey | Percentage of housing units by various ages based on year built. | |
| Heating fuel type | US Census Bureau, American Community Survey | Percentage of households by the type of fuel that is used most for heating the house, apartment, or mobile home. | |
| Households that spend more than 50% of income toward housing | US Census Bureau, American Community Survey. Table B25070 for renter house. Table B25091 for house with and without mortgage. B25003 for total housing unit | Percentage of households that spend 50% or more of their household income on housing. | |
| Leading causes of death | National Center for Health Statistics, US CDC | List of the causes of death that are the most frequent in the population, based on the number of deaths, sorted from highest to lowest frequency. | |









